




ZUCCHETTI.

LISTINO ZUCCHETTI – ADDENDUM 2026

ZUCCHETTI PRICE LIST – 2026 ADDENDUM

Il listino Addendum 2026 integra il listino Zucchetti 2025 attualmente in vigore ed invariato, con le nuove serie:

- Collezione Veloce
- Collezione docce BAR 59
- Collezione docce Ellissea

The 2026 Addendum price list integrates the currently valid and unchanged 2025 Zucchetti price list, with the new series:

- Veloce Collection
- BAR 59 Shower Collection
- Ellissea Shower Collection

Z-BOX NUOVI CORPI INCASSO / NEW BUILT-IN PARTS

Z-BOX è la nuova generazione di corpi incasso miscelatori e termostatici di Zucchetti.

I plus sono molteplici:

- dimensioni compatte degli elementi per renderli adatti a qualsiasi tipo di parete, in particolar modo le pareti in cartongesso
- impermeabilità per garantire la perfetta tenuta ed ovviare ad eventuali fenomeni di condensa
- installazione immediata e veloce
- utilizzo di materiali ecosostenibili, parti metalliche in ottone a basso contenuto di piombo, box in ABS e polipropilene riciclato.

Z-BOX è una soluzione intelligente, innovativa ed evoluta che consente una migliore gestione delle fasi di progettazione, installazione, utilizzo e manutenzione per la rubinetteria ad incasso.

Z-BOX is the new generation of mixers' and thermostatics' built-in parts by Zucchetti.


The pluses are multiple:

- compact dimensions to make them suitable for any type of wall, especially plasterboard walls
- waterproofness to guarantee perfect sealing and avoid any eventual condensation phenomena
- easy, immediate and fast installation
- use of eco-sustainable materials, metal parts made of low lead content brass, box made of ABS and recycled polypropylene

Z-BOX is a smart, innovative and advanced solution that allows better management of the design, installation, use and maintenance stages for built-in taps.




SOFFIONE
SHOWER HEAD



SOFFIONE LATERALE
LATERAL BODY JET




DOCCETTA
HANDSHOWER



VASCA
WASHBASIN



BASSO CONTENUTO DI PIOMBO
LOW LEAD




DOPPIO ORIENTAMENTO
DOUBLE DIRECTION




IMPERMEABILE
WATERPROOF



INSTALLAZIONE FACILE
EASY INSTALLATION



PROFONDITÀ RIDOTTA
REDUCED THICKNESS



INSTALLAZIONE SU CARTONGESSO
PLASTERBOARD INSTALLATION

Z- BOX NUOVI CORPI INCASSO / NEW BUILT-IN PARTS


R96720

Incasso lavabo

Corpo incasso per miscelatore monocomando lavabo a 2 fori.
Profondità: min 53 mm / max 78 mm

Basin built-in part

Built-in part for 2-hole single-lever basin mixer.
Depth: min 53 mm / max 78 mm



R96720



ZPA433




R96710

Incasso doccia

Corpo incasso per miscelatore monocomando doccia.
Profondità: min 49 mm / max 73 mm

Shower built-in part

Built-in part for single-lever shower mixer.
Depth: min 49 mm / max 73 mm



R96710



ZPA780



Z- BOX NUOVI CORPI INCASSO / NEW BUILT-IN PARTS

R96715

Incasso vasca-doccia con deviatore automatico


Corpo incasso per miscelatore monocomando vasca-doccia con deviatore automatico.

Profondità: min 67 mm / max 92 mm

Bath-shower with automatic diverter built-in part

Built-in part for single-lever bath-shower mixer with automatic diverter.

Depth: min 67 mm / max 92 mm



R96715



ZPA775



R96716

Incasso vasca-doccia con deviatore meccanico a pulsante


Corpo incasso per miscelatore monocomando vasca-doccia con deviatore meccanico a pulsante.

Profondità: min 67 mm / max 92 mm

Bath-shower with mechanical push button diverter built-in part

Built-in part for single-lever bath-shower mixer with mechanical push button diverter.

Depth: min 67 mm / max 92 mm



R96716



ZPA776



Z- BOX NUOVI CORPI INCASSO / NEW BUILT-IN PARTS


R96725

Incasso vasca-doccia con deviatore a rotazione

Corpo incasso per miscelatore monocomando vasca-doccia con deviatore 2 vie a rotazione. Rosoni diametro 80 mm, spessore 5 mm. Interasse 100 mm. Profondità: min 49 mm / max 73 mm.

Bath-shower with rotating diverter built-in part

Built-in part for single-lever bath-shower mixer with 2 way rotating diverter. Flanges dimensions: diameter 80 mm, thickness 5 mm. Center distance 100 mm. Depth: min 49 mm / max 73 mm



R96725



ZPA778




R96734 – R96735

Incasso termostatico con deviatore a 2 o 3 vie

Corpo incasso per miscelatore termostatico con ingressi da 3/4" e uscite da 1/2", deviatore a 2 o 3 vie con apertura/chiusura acqua. Installabile sia in orizzontale che in verticale. Profondità: min 80 mm / max 115 mm. Rosoni diametro 80 mm, spessore 5 mm. Interasse 110 mm.

Thermostatic built-in part with 2 or 3 way diverter

Built-in part thermostatic mixer with 3/4" inlets and 1/2" outlets, 2 or 3 way diverter and water on/off function. It can be installed both vertically or horizontally. Depth: min 80 mm / max 115 mm. Flanges dimensions: diameter 80 mm, thickness 5 mm.



R96734 – R96735



ZPA806



Z- BOX NUOVI CORPI INCASSO / NEW BUILT-IN PARTS

R96730

Incasso termostatico con un rubinetto d'arresto

Corpo incasso per miscelatore termostatico con ingressi da 3/4" e uscite da 1/2", 1 rubinetto d'arresto. Installabile sia in orizzontale che in verticale.

Profondità: min 80 mm / max 115 mm.

Rosoni diametro 80 mm, spessore 5 mm. Interasse 110 mm.


Thermostatic built-in part with one stop valve

Built-in part thermostatic mixer with 3/4" inlets and 1/2" outlets, one stop valve. It can be installed both vertically or horizontally.

Depth: min 80 mm / max 115 mm.

Flanges dimensions: diameter 80 mm, thickness 5 mm.

Center distance 110 mm.



R96730



ZPA801



R96731

Incasso termostatico con 2 rubinetti d'arresto

Corpo incasso per miscelatore termostatico con ingressi da 3/4" e uscite da 1/2", 2 rubinetti d'arresto. Installabile sia in orizzontale che in verticale.

Profondità: min 80 mm / max 115 mm.

Rosoni diametro 80 mm, spessore 5 mm. Interasse 110 mm.


Thermostatic built-in part with 2 stop valves

Built-in part thermostatic mixer with 3/4" inlets and 1/2" outlets, 2 stop valves. It can be installed both vertically or horizontally.

Depth: min 80 mm / max 115 mm.

Flanges dimensions: diameter 80 mm, thickness 5 mm.

Center distance 110 mm.



R96731



ZPA802



Z- BOX NUOVI CORPI INCASSO / NEW BUILT-IN PARTS


R96732

Incasso termostatico con 3 rubinetti d'arresto

Corpo incasso per miscelatore termostatico con ingressi da 3/4" e uscite da 1/2", 3 rubinetti d'arresto. Installabile sia in orizzontale che in verticale.
Profondità: min 80 mm / max 115 mm.
Rosoni diametro 80 mm, spessore 5 mm. Interasse 110 mm.

Thermostatic built-in part with 3 stop valves

Built-in part thermostatic mixer with 3/4" inlets and 1/2" outlets, 3 stop valves. It can be installed both vertically or horizontally.
Depth: min 80 mm / max 115 mm.
Flanges dimensions: diameter 80 mm, thickness 5 mm.
Center distance 110 mm.



R96732



ZPA803




R96733

Incasso termostatico con 4 rubinetti d'arresto

Corpo incasso per miscelatore termostatico con ingressi da 3/4" e uscite da 1/2", 4 rubinetti d'arresto. Installabile sia in orizzontale che in verticale.
Profondità: min 80 mm / max 115 mm.
Rosoni diametro 80 mm, spessore 5 mm. Interasse 110 mm.

Thermostatic built-in part with 4 stop valves

Built-in part thermostatic mixer with 3/4" inlets and 1/2" outlets, 4 stop valves. It can be installed both vertically or horizontally.
Depth: min 80 mm / max 115 mm.
Flanges dimensions: diameter 80 mm, thickness 5 mm.
Center distance 110 mm.



R96733



ZPA804








Veloce

FINITURE / FINISHES		FINITURE FLESSIBILI / FLEXIBLE HOSES FINISHES	
	Cromo - Chrome	Z93867 	Z94130 
	.C3 Brushed Nickel	Z94130.C3 	Z94130.P30 
	.P30 British Gold PVD	Z94120.XP31 	Z94130.P60 
	.P31 Brushed British Gold PVD	Z94130.P80 	Z94120.XP81 
	.P60 Platinum PVD	Z94130.P90 	Z94120.XP91 
	.P80 Total Black PVD		
	.P81 Brushed Total Black PVD		
	.P90 Copper PVD		
	.P91 Brushed Copper PVD		

BAR 59 / Ellissea

FINITURE / FINISHES

		Cromo - Chrome		.V7	Pearl Salvia
	.C8	Nickel		.V8	Matt Mirto
	.C40	Gold		.X	Brushed Stainless Steel
	.C41	Brushed Gold		.XP21	Brushed Chocolate PVD
	.C50	Metal Black		.XP31	Brushed British Gold PVD
	.C51	Brushed Metal Black		.XP41	Brushed Gold PVD
	.P30	British Gold PVD		.XP81	Brushed Total Black PVD
	.P60	Platinum PVD		.XP91	Brushed Copper PVD
	.P80	Total Black PVD		.XS	Matt Stainless Steel
	.P90	Copper PVD		.XSP21	Matt Chocolate PVD
	.J3	Glossy Gesso		.XSP31	Matt British Gold PVD
	.K7	Pearl Cipria		.XSP41	Matt Gold PVD
	.N6	Nero Opaco - Matt Black		.XSP81	Matt Total Black PVD
	.R6	Pearl Chili		.XSP91	Matt Copper PVD


LEGENDA ICONE / ICON LEGEND

Per rendere più facile la consultazione del listino e per consentire di reperire alcune informazioni in modo immediato ed intuitivo sono state aggiunte varie icone nella descrizione di ciascun articolo. Di seguito trovate la legenda.

To easily consult the price list and to allow the user to find some information in an immediate and intuitive way, we added various icons to the description of each item. Below you will find the legend.



WATER SAVING



QUICK CLEAN



INOX AISI 316L
STAINLESS STEEL AISI 316L



GETTO PIOGGIA
RAIN JET



BASSO CONTENUTO DI PIOMBO
LOW LEAD



GETTO LAMA
BLADE JET



CARTUCCIA
CARTRIDGE




GETTO NEBULIZZATO
ATOMIZING (SPRAY) JET



VITONE
HEADWORK



GETTO CRYSTAL
CRYSTAL JET



PROLUNGA
EXTENSION



GETTO ENERGIZZANTE
ENERGIZING JET



SCARICO
WASTE

Waterwords

04	Veloce
35	BAR 59_Shower
53	Ellissea_Shower





Veloce

Design **Studio Yabu Pushelberg**

VELOCE

MISCELATORE MONOCOMANDO

Single lever basin mixer



Versione standard
Standard version




.G4 Decoro verticale
.G4 Vertical decoration



.G5 Decoro incrociato
.G5 Cross Decoration

MISCELATORE MONOCOMANDO INCASSO

Built-in single lever mixer



Versione standard
Standard version



.G4 Decoro verticale
.G4 Vertical decoration




.G5 Decoro incrociato
.G5 Cross Decoration

VELOCE

RUBINETTERIA TRADIZIONALE

Traditional taps



Versione standard
Standard version




.G4 Decoro verticale
.G4 Vertical decoration



.G5 Decoro incrociato
.G5 Cross Decoration

TERMOSTATICI DOCCIA

Thermostatic shower mixer



Versione standard
Standard version



.G4 Decoro verticale
.G4 Vertical decoration




.G5 Decoro incrociato
.G5 Cross Decoration



LAVABO
Miscelatore monocomando con
aeratore, flessibili di collegamento,
senza scarico.
Single lever basin mixer with aerator,
flexible tails, without pop-up waste.

	ZVE546	cromo - chrome	450
	ZVE546.C3	brushed nickel	565
	ZVE546.P30	british gold PVD	720
	ZVE546.P31	brushed british gold PVD	720
	ZVE546.P60	platinum PVD	720
	ZVE546.P80	total black PVD	720
	ZVE546.P81	brushed total black PVD	720
	ZVE546.P90	copper PVD	720
	ZVE546.P91	brushed copper PVD	720
	ZVE546.G4	cromo - chrome	490
	ZVE546.C3G4	brushed nickel	615
	ZVE546.P30G4	british gold PVD	785
	ZVE546.P31G4	brushed british gold PVD	785
	ZVE546.P60G4	platinum PVD	785
	ZVE546.P80G4	total black PVD	785
	ZVE546.P81G4	brushed total black PVD	785
	ZVE546.P90G4	copper PVD	785
	ZVE546.P91G4	brushed copper PVD	785
	ZVE546.G5	cromo - chrome	490
	ZVE546.C3G5	brushed nickel	615
	ZVE546.P30G5	british gold PVD	785
	ZVE546.P31G5	brushed british gold PVD	785
	ZVE546.P60G5	platinum PVD	785
	ZVE546.P80G5	total black PVD	785
	ZVE546.P81G5	brushed total black PVD	785
	ZVE546.P90G5	copper PVD	785
	ZVE546.P91G5	brushed copper PVD	785



R98123




R97755*



LAVABO
Miscelatore monocomando con
bocca prolungata, aeratore, flessibili
di collegamento, senza scarico.
Single lever basin mixer with
extended spout, aerator, flexible tails,
without pop-up waste.

	ZVE547	cromo - chrome	585
	ZVE547.C3	brushed nickel	730
	ZVE547.P30	british gold PVD	935
	ZVE547.P31	brushed british gold PVD	935
	ZVE547.P60	platinum PVD	935
	ZVE547.P80	total black PVD	935
	ZVE547.P81	brushed total black PVD	935
	ZVE547.P90	copper PVD	935
	ZVE547.P91	brushed copper PVD	935
	ZVE547.G4	cromo - chrome	625
	ZVE547.C3G4	brushed nickel	780
	ZVE547.P30G4	british gold PVD	1.000
	ZVE547.P31G4	brushed british gold PVD	1.000
	ZVE547.P60G4	platinum PVD	1.000
	ZVE547.P80G4	total black PVD	1.000
	ZVE547.P81G4	brushed total black PVD	1.000
	ZVE547.P90G4	copper PVD	1.000
	ZVE547.P91G4	brushed copper PVD	1.000
	ZVE547.G5	cromo - chrome	625
	ZVE547.C3G5	brushed nickel	780
	ZVE547.P30G5	british gold PVD	1.000
	ZVE547.P31G5	brushed british gold PVD	1.000
	ZVE547.P60G5	platinum PVD	1.000
	ZVE547.P80G5	total black PVD	1.000
	ZVE547.P81G5	brushed total black PVD	1.000
	ZVE547.P90G5	copper PVD	1.000
	ZVE547.P91G5	brushed copper PVD	1.000



R98123




R97755*



LAVABO
Miscelatore monocomando con
bocca alta, aeratore, flessibili di
collegamento, senza scarico.
Single lever basin mixer with
high spout, aerator, flexible tails,
without pop-up waste.

	ZVE548	cromo - chrome	605
	ZVE548.C3	brushed nickel	755
	ZVE548.P30	british gold PVD	970
	ZVE548.P31	brushed british gold PVD	970
	ZVE548.P60	platinum PVD	970
	ZVE548.P80	total black PVD	970
	ZVE548.P81	brushed total black PVD	970
	ZVE548.P90	copper PVD	970
	ZVE548.P91	brushed copper PVD	970
	ZVE548.G4	cromo - chrome	645
	ZVE548.C3G4	brushed nickel	805
	ZVE548.P30G4	british gold PVD	1.030
	ZVE548.P31G4	brushed british gold PVD	1.030
	ZVE548.P60G4	platinum PVD	1.030
	ZVE548.P80G4	total black PVD	1.030
	ZVE548.P81G4	brushed total black PVD	1.030
	ZVE548.P90G4	copper PVD	1.030
	ZVE548.P91G4	brushed copper PVD	1.030
	ZVE548.G5	cromo - chrome	645
	ZVE548.C3G5	brushed nickel	805
	ZVE548.P30G5	british gold PVD	1.030
	ZVE548.P31G5	brushed british gold PVD	1.030
	ZVE548.P60G5	platinum PVD	1.030
	ZVE548.P80G5	total black PVD	1.030
	ZVE548.P81G5	brushed total black PVD	1.030
	ZVE548.P90G5	copper PVD	1.030
	ZVE548.P91G5	brushed copper PVD	1.030



R98123




R97755*



LAVABO
Miscelatore monocomando 2 fori,
aeratore, flessibili di collegamento,
senza scarico.
2 hole single lever basin mixer, aerator,
flexible tails, without pop-up waste.

	ZVE425	cromo - chrome	620
	ZVE425.C3	brushed nickel	775
	ZVE425.P30	british gold PVD	990
	ZVE425.P31	brushed british gold PVD	990
	ZVE425.P60	platinum PVD	990
	ZVE425.P80	total black PVD	990
	ZVE425.P81	brushed total black PVD	990
	ZVE425.P90	copper PVD	990
	ZVE425.P91	brushed copper PVD	990
	ZVE425.G4	cromo - chrome	660
	ZVE425.C3G4	brushed nickel	825
	ZVE425.P30G4	british gold PVD	1.055
	ZVE425.P31G4	brushed british gold PVD	1.055
	ZVE425.P60G4	platinum PVD	1.055
	ZVE425.P80G4	total black PVD	1.055
	ZVE425.P81G4	brushed total black PVD	1.055
	ZVE425.P90G4	copper PVD	1.055
	ZVE425.P91G4	brushed copper PVD	1.055
	ZVE425.G5	cromo - chrome	660
	ZVE425.C3G5	brushed nickel	825
	ZVE425.P30G5	british gold PVD	1.055
	ZVE425.P31G5	brushed british gold PVD	1.055
	ZVE425.P60G5	platinum PVD	1.055
	ZVE425.P80G5	total black PVD	1.055
	ZVE425.P81G5	brushed total black PVD	1.055
	ZVE425.P90G5	copper PVD	1.055
	ZVE425.P91G5	brushed copper PVD	1.055



R98112




R97755*

* Attenzione/attention: aggiungere estensione finitura del rubinetto / An extension matching the faucet finish is needed.




LAVABO
Miscelatore monocomando 2 fori, aeratore, flessibili di collegamento, senza scarico.
2 hole single lever basin mixer, aerator, flexible tails, without pop-up waste.

	ZVE426	cromo - chrome	660
	ZVE426.C3	brushed nickel	825
	ZVE426.P30	british gold PVD	1.055
	ZVE426.P31	brushed british gold PVD	1.055
	ZVE426.P60	platinum PVD	1.055
	ZVE426.P80	total black PVD	1.055
	ZVE426.P81	brushed total black PVD	1.055
	ZVE426.P90	copper PVD	1.055
	ZVE426.P91	brushed copper PVD	1.055
	ZVE426.G4	cromo - chrome	700
	ZVE426.C3G4	brushed nickel	875
	ZVE426.P30G4	british gold PVD	1.120
	ZVE426.P31G4	brushed british gold PVD	1.120
	ZVE426.P60G4	platinum PVD	1.120
	ZVE426.P80G4	total black PVD	1.120
	ZVE426.P81G4	brushed total black PVD	1.120
	ZVE426.P90G4	copper PVD	1.120
	ZVE426.G5	cromo - chrome	700
	ZVE426.C3G5	brushed nickel	875
	ZVE426.P30G5	british gold PVD	1.120
	ZVE426.P31G5	brushed british gold PVD	1.120
	ZVE426.P60G5	platinum PVD	1.120
	ZVE426.P80G5	total black PVD	1.120
	ZVE426.P81G5	brushed total black PVD	1.120
	ZVE426.P90G5	copper PVD	1.120
	ZVE426.P91G5	brushed copper PVD	1.120



LAVABO
Miscelatore monocomando incasso 2 fori con aeratore.
Lunghezza bocca 175 mm.
2 hole built-in single lever basin mixer with aerator.
Spout projection 175 mm.

	ZVE435	cromo - chrome	435
	ZVE435.C3	brushed nickel	545
	ZVE435.P30	british gold PVD	695
	ZVE435.P31	brushed british gold PVD	695
	ZVE435.P60	platinum PVD	695
	ZVE435.P80	total black PVD	695
	ZVE435.P81	brushed total black PVD	695
	ZVE435.P90	copper PVD	695
	ZVE435.P91	brushed copper PVD	695
	ZVE435.G4	cromo - chrome	475
	ZVE435.C3G4	brushed nickel	595
	ZVE435.P30G4	british gold PVD	760
	ZVE435.P31G4	brushed british gold PVD	760
	ZVE435.P60G4	platinum PVD	760
	ZVE435.P80G4	total black PVD	760
	ZVE435.P81G4	brushed total black PVD	760
	ZVE435.P90G4	copper PVD	760
	ZVE435.G5	cromo - chrome	475
	ZVE435.C3G5	brushed nickel	595
	ZVE435.P30G5	british gold PVD	760
	ZVE435.P31G5	brushed british gold PVD	760
	ZVE435.P60G5	platinum PVD	760
	ZVE435.P80G5	total black PVD	760
	ZVE435.P81G5	brushed total black PVD	760
	ZVE435.P90G5	copper PVD	760
	ZVE435.P91G5	brushed copper PVD	760



Parte incasso
Built-in part

R96720

155



LAVABO

Miscelatore monocomando incasso


2 fori con aeratore.

Lunghezza bocca 200 mm.

2 hole built-in single lever basin mixer with aerator.

Spout projection 200 mm.

mixer	ZVE436	cromo - chrome	465
	ZVE436.C3	brushed nickel	580
	ZVE436.P30	british gold PVD	745
	ZVE436.P31	brushed british gold PVD	745
	ZVE436.P60	platinum PVD	745
	ZVE436.P80	total black PVD	745
	ZVE436.P81	brushed total black PVD	745
	ZVE436.P90	copper PVD	745
	ZVE436.P91	brushed copper PVD	745
	ZVE436.G4	cromo - chrome	505
	ZVE436.C3G4	brushed nickel	630
	ZVE436.P30G4	british gold PVD	810
	ZVE436.P31G4	brushed british gold PVD	810
	ZVE436.P60G4	platinum PVD	810
	ZVE436.P80G4	total black PVD	810
	ZVE436.P81G4	brushed total black PVD	810
	ZVE436.P90G4	copper PVD	810
	ZVE436.P91G4	brushed copper PVD	810
	ZVE436.G5	cromo - chrome	505
	ZVE436.C3G5	brushed nickel	630
	ZVE436.P30G5	british gold PVD	810
	ZVE436.P31G5	brushed british gold PVD	810
	ZVE436.P60G5	platinum PVD	810
	ZVE436.P80G5	total black PVD	810
	ZVE436.P81G5	brushed total black PVD	810
	ZVE436.P90G5	copper PVD	810
	ZVE436.P91G5	brushed copper PVD	810



Parte incasso
Built-in part

R96720

155



LAVABO


**Miscelatore monocomando incasso
2 fori con aeratore.**

Lunghezza bocca 225 mm.

2 hole built-in single lever basin mixer with aerator.

Spout projection 225 mm.

mixer	ZVE437	cromo - chrome	495
	ZVE437.C3	brushed nickel	620
	ZVE437.P30	british gold PVD	790
	ZVE437.P31	brushed british gold PVD	790
	ZVE437.P60	platinum PVD	790
	ZVE437.P80	total black PVD	790
	ZVE437.P81	brushed total black PVD	790
	ZVE437.P90	copper PVD	790
	ZVE437.P91	brushed copper PVD	790
	ZVE437.G4	cromo - chrome	535
	ZVE437.C3G4	brushed nickel	670
	ZVE437.P30G4	british gold PVD	855
	ZVE437.P31G4	brushed british gold PVD	855
	ZVE437.P60G4	platinum PVD	855
	ZVE437.P80G4	total black PVD	855
	ZVE437.P81G4	brushed total black PVD	855
	ZVE437.P90G4	copper PVD	855
	ZVE437.P91G4	brushed copper PVD	855
	ZVE437.G5	cromo - chrome	535
	ZVE437.C3G5	brushed nickel	670
	ZVE437.P30G5	british gold PVD	855
	ZVE437.P31G5	brushed british gold PVD	855
	ZVE437.P60G5	platinum PVD	855
	ZVE437.P80G5	total black PVD	855
	ZVE437.P81G5	brushed total black PVD	855
	ZVE437.P90G5	copper PVD	855
	ZVE437.P91G5	brushed copper PVD	855



Parte incasso
Built-in part

R96720

155



BIDET

Miscelatore monocomando con aeratore, flessibili di collegamento, senza scarico.

Single lever bidet mixer with aerator, flexible tails, without pop-up waste.


ZVE549	cromo - chrome	450
ZVE549.C3	brushed nickel	565
ZVE549.P30	british gold PVD	720
ZVE549.P31	brushed british gold PVD	720
ZVE549.P60	platinum PVD	720
ZVE549.P80	total black PVD	720
ZVE549.P81	brushed total black PVD	720
ZVE549.P90	copper PVD	720
ZVE549.P91	brushed copper PVD	720



ZVE549.G4	cromo - chrome	490
ZVE549.C3G4	brushed nickel	615
ZVE549.P30G4	british gold PVD	785
ZVE549.P31G4	brushed british gold PVD	785
ZVE549.P60G4	platinum PVD	785
ZVE549.P80G4	total black PVD	785
ZVE549.P81G4	brushed total black PVD	785
ZVE549.P90G4	copper PVD	785
ZVE549.P91G4	brushed copper PVD	785



ZVE549.G5	cromo - chrome	490
ZVE549.C3G5	brushed nickel	615
ZVE549.P30G5	british gold PVD	785
ZVE549.P31G5	brushed british gold PVD	785
ZVE549.P60G5	platinum PVD	785
ZVE549.P80G5	total black PVD	785
ZVE549.P81G5	brushed total black PVD	785
ZVE549.P90G5	copper PVD	785
ZVE549.P91G5	brushed copper PVD	785



R98123



R97755*



BORDO-VASCA

Miscelatore monocomando 4 fori con bocca fissa, doccia estraibile Z94177, flessibile da 1500 mm.

4 hole bath tub single lever mixer, fixed spout, pull out shower Z94177, 1500 mm flexible hose.


ZVE523	cromo - chrome	1.250
ZVE523.C3	brushed nickel	1.565
ZVE523.P30	british gold PVD	2.000
ZVE523.P31	brushed british gold PVD	2.000
ZVE523.P60	platinum PVD	2.000
ZVE523.P80	total black PVD	2.000
ZVE523.P81	brushed total black PVD	2.000
ZVE523.P90	copper PVD	2.000
ZVE523.P91	brushed copper PVD	2.000



ZVE523.G4	cromo - chrome	1.290
ZVE523.C3G4	brushed nickel	1.615
ZVE523.P30G4	british gold PVD	2.065
ZVE523.P31G4	brushed british gold PVD	2.065
ZVE523.P60G4	platinum PVD	2.065
ZVE523.P80G4	total black PVD	2.065
ZVE523.P81G4	brushed total black PVD	2.065
ZVE523.P90G4	copper PVD	2.065
ZVE523.P91G4	brushed copper PVD	2.065



ZVE523.G5	cromo - chrome	1.290
ZVE523.C3G5	brushed nickel	1.615
ZVE523.P30G5	british gold PVD	2.065
ZVE523.P31G5	brushed british gold PVD	2.065
ZVE523.P60G5	platinum PVD	2.065
ZVE523.P80G5	total black PVD	2.065
ZVE523.P81G5	brushed total black PVD	2.065
ZVE523.P90G5	copper PVD	2.065
ZVE523.P91G5	brushed copper PVD	2.065



R98112



VASCA
Miscelatore monocomando free standing con deviatore e completo doccia con doccetta Z94177.
Free standing single lever bath mixer with diverter and shower set with handshower Z94177.


ZVE748	cromo - chrome	1.990
ZVE748.C3	brushed nickel	2.490
ZVE748.P30	british gold PVD	3.185
ZVE748.P31	brushed british gold PVD	3.185
ZVE748.P60	platinum PVD	3.185
ZVE748.P80	total black PVD	3.185
ZVE748.P81	brushed total black PVD	3.185
ZVE748.P90	copper PVD	3.185
ZVE748.P91	brushed copper PVD	3.185



ZVE748.G4	cromo - chrome	2.030
ZVE748.C3G4	brushed nickel	2.540
ZVE748.P30G4	british gold PVD	3.250
ZVE748.P31G4	brushed british gold PVD	3.250
ZVE748.P60G4	platinum PVD	3.250
ZVE748.P80G4	total black PVD	3.250
ZVE748.P81G4	brushed total black PVD	3.250
ZVE748.P90G4	copper PVD	3.250
ZVE748.P91G4	brushed copper PVD	3.250



ZVE748.G5	cromo - chrome	2.030
ZVE748.C3G5	brushed nickel	2.540
ZVE748.P30G5	british gold PVD	3.250
ZVE748.P31G5	brushed british gold PVD	3.250
ZVE748.P60G5	platinum PVD	3.250
ZVE748.P80G5	total black PVD	3.250
ZVE748.P81G5	brushed total black PVD	3.250
ZVE748.P90G5	copper PVD	3.250
ZVE748.P91G5	brushed copper PVD	3.250



Parte incasso
Built-in part

R99676	305
--------	-----



VASCA-DOCCIA
Miscelatore monocomando incasso con deviatore automatico.
Built-in single lever bath-shower mixer with automatic diverter.


ZVE775	cromo - chrome	280
ZVE775.C3	brushed nickel	350
ZVE775.P30	british gold PVD	450
ZVE775.P31	brushed british gold PVD	450
ZVE775.P60	platinum PVD	450
ZVE775.P80	total black PVD	450
ZVE775.P81	brushed total black PVD	450
ZVE775.P90	copper PVD	450
ZVE775.P91	brushed copper PVD	450



ZVE775.G4	cromo - chrome	320
ZVE775.C3G4	brushed nickel	400
ZVE775.P30G4	british gold PVD	510
ZVE775.P31G4	brushed british gold PVD	510
ZVE775.P60G4	platinum PVD	510
ZVE775.P80G4	total black PVD	510
ZVE775.P81G4	brushed total black PVD	510
ZVE775.P90G4	copper PVD	510
ZVE775.P91G4	brushed copper PVD	510



ZVE775.G5	cromo - chrome	320
ZVE775.C3G5	brushed nickel	400
ZVE775.P30G5	british gold PVD	510
ZVE775.P31G5	brushed british gold PVD	510
ZVE775.P60G5	platinum PVD	510
ZVE775.P80G5	total black PVD	510
ZVE775.P81G5	brushed total black PVD	510
ZVE775.P90G5	copper PVD	510
ZVE775.P91G5	brushed copper PVD	510



Parte incasso
Built-in part

R96715	135
--------	-----

* Attenzione/attention: aggiungere estensione finitura del rubinetto / An extension matching the faucet finish is needed.



VASCA-DOCCIA
Miscelatore monocomando incasso
con deviatore meccanico a pulsante.
Built-in single lever bath-shower mixer
with mechanical push-button diverter.

ZVE776	cromo - chrome	305
ZVE776.C3	brushed nickel	380
ZVE776.P30	british gold PVD	490
ZVE776.P31	brushed british gold PVD	490
ZVE776.P60	platinum PVD	490
ZVE776.P80	total black PVD	490
ZVE776.P81	brushed total black PVD	490
ZVE776.P90	copper PVD	490
ZVE776.P91	brushed copper PVD	490



ZVE776.G4	cromo - chrome	345
ZVE776.C3G4	brushed nickel	430
ZVE776.P30G4	british gold PVD	550
ZVE776.P31G4	brushed british gold PVD	550
ZVE776.P60G4	platinum PVD	550
ZVE776.P80G4	total black PVD	550
ZVE776.P81G4	brushed total black PVD	550
ZVE776.P90G4	copper PVD	550
ZVE776.P91G4	brushed copper PVD	550




ZVE776.G5	cromo - chrome	345
ZVE776.C3G5	brushed nickel	430
ZVE776.P30G5	british gold PVD	550
ZVE776.P31G5	brushed british gold PVD	550
ZVE776.P60G5	platinum PVD	550
ZVE776.P80G5	total black PVD	550
ZVE776.P81G5	brushed total black PVD	550
ZVE776.P90G5	copper PVD	550
ZVE776.P91G5	brushed copper PVD	550



R98112



R96434*



Parte incasso
Built-in part

R96716

150



VASCA-DOCCIA
Miscelatore monocomando incasso
con deviatore 2 vie a rotazione.
Built-in single lever bath-shower mixer
with 2 way rotation diverter.

ZVE778	cromo - chrome	440
ZVE778.C3	brushed nickel	550
ZVE778.P30	british gold PVD	705
ZVE778.P31	brushed british gold PVD	705
ZVE778.P60	platinum PVD	705
ZVE778.P80	total black PVD	705
ZVE778.P81	brushed total black PVD	705
ZVE778.P90	copper PVD	705
ZVE778.P91	brushed copper PVD	705



ZVE778.G4	cromo - chrome	480
ZVE778.C3G4	brushed nickel	600
ZVE778.P30G4	british gold PVD	770
ZVE778.P31G4	brushed british gold PVD	770
ZVE778.P60G4	platinum PVD	770
ZVE778.P80G4	total black PVD	770
ZVE778.P81G4	brushed total black PVD	770
ZVE778.P90G4	copper PVD	770
ZVE778.P91G4	brushed copper PVD	770




ZVE778.G5	cromo - chrome	480
ZVE778.C3G5	brushed nickel	600
ZVE778.P30G5	british gold PVD	770
ZVE778.P31G5	brushed british gold PVD	770
ZVE778.P60G5	platinum PVD	770
ZVE778.P80G5	total black PVD	770
ZVE778.P81G5	brushed total black PVD	770
ZVE778.P90G5	copper PVD	770
ZVE778.P91G5	brushed copper PVD	770



R98112



R99596* (x2)



Parte incasso
Built-in part

R96725

200




DOCCIA
Miselatore monocomando incasso.
Built-in single lever shower mixer.

ZVE780	cromo - chrome	235
ZVE780.C3	brushed nickel	295
ZVE780.P30	british gold PVD	375
ZVE780.P31	brushed british gold PVD	375
ZVE780.P60	platinum PVD	375
ZVE780.P80	total black PVD	375
ZVE780.P81	brushed total black PVD	375
ZVE780.P90	copper PVD	375
ZVE780.P91	brushed copper PVD	375

	ZVE780.G4	cromo - chrome	275
	ZVE780.C3G4	brushed nickel	345
	ZVE780.P30G4	british gold PVD	440
	ZVE780.P31G4	brushed british gold PVD	440
	ZVE780.P60G4	platinum PVD	440
	ZVE780.P80G4	total black PVD	440
	ZVE780.P81G4	brushed total black PVD	440
	ZVE780.P90G4	copper PVD	440
	ZVE780.P91G4	brushed copper PVD	440

	ZVE780.G5	cromo - chrome	275
	ZVE780.C3G5	brushed nickel	345
	ZVE780.P30G5	british gold PVD	440
	ZVE780.P31G5	brushed british gold PVD	440
	ZVE780.P60G5	platinum PVD	440
	ZVE780.P80G5	total black PVD	440
	ZVE780.P81G5	brushed total black PVD	440
	ZVE780.P90G5	copper PVD	440
	ZVE780.P91G5	brushed copper PVD	440




Parte incasso
Built-in part

R96710	80
---------------	----



DEVIATORE 2 VIE
Senza apertura/chiusura acqua, uscite da 1/2".
Da abbinare ad un miselatore monocomando incasso doccia.
2 way diverter without water on/off function, 1/2" outlets. To be combined to a built-in single lever shower mixer.

Z94633	cromo - chrome	215
Z94633.C3	brushed nickel	270
Z94633.P30	british gold PVD	345
Z94633.P31	brushed british gold PVD	345
Z94633.P60	platinum PVD	345
Z94633.P80	total black PVD	345
Z94633.P81	brushed total black PVD	345
Z94633.P90	copper PVD	345
Z94633.P91	brushed copper PVD	345




Parte incasso
Built-in part

R96737	150
---------------	-----



DEVIATORE 3 VIE
Senza apertura/chiusura acqua, uscite da 1/2".
Da abbinare ad un miselatore monocomando incasso doccia.
3 way diverter without water on/off function, 1/2" outlets. To be combined to a built-in single lever shower mixer.

Z94633	cromo - chrome	215
Z94633.C3	brushed nickel	270
Z94633.P30	british gold PVD	345
Z94633.P31	brushed british gold PVD	345
Z94633.P60	platinum PVD	345
Z94633.P80	total black PVD	345
Z94633.P81	brushed total black PVD	345
Z94633.P90	copper PVD	345
Z94633.P91	brushed copper PVD	345



Parte incasso
Built-in part

R96738	180
---------------	-----




LAVABO
Batteria a 3 fori con aeratore,
flessibili di collegamento,
senza scarico.

3 hole basin mixer
with aerator, flexible tails,
without pop-up waste.

ZVE5347	cromo - chrome	870
ZVE5347.C3	brushed nickel	1.090
ZVE5347.P30	british gold PVD	1.390
ZVE5347.P31	brushed british gold PVD	1.390
ZVE5347.P60	platinum PVD	1.390
ZVE5347.P80	total black PVD	1.390
ZVE5347.P81	brushed total black PVD	1.390
ZVE5347.P90	copper PVD	1.390
ZVE5347.P91	brushed copper PVD	1.390

ZVE5347.G4	cromo - chrome	950
ZVE5347.C3G4	brushed nickel	1.190
ZVE5347.P30G4	british gold PVD	1.520
ZVE5347.P31G4	brushed british gold PVD	1.520
ZVE5347.P60G4	platinum PVD	1.520
ZVE5347.P80G4	total black PVD	1.520
ZVE5347.P81G4	brushed total black PVD	1.520
ZVE5347.P90G4	copper PVD	1.520
ZVE5347.P91G4	brushed copper PVD	1.520

ZVE5347.G5	cromo - chrome	950
ZVE5347.C3G5	brushed nickel	1.190
ZVE5347.P30G5	british gold PVD	1.520
ZVE5347.P31G5	brushed british gold PVD	1.520
ZVE5347.P60G5	platinum PVD	1.520
ZVE5347.P80G5	total black PVD	1.520
ZVE5347.P81G5	brushed total black PVD	1.520
ZVE5347.P90G5	copper PVD	1.520
ZVE5347.P91G5	brushed copper PVD	1.520



R9742P.9500



R97755*




LAVABO
Batteria a 3 fori con aeratore,
bocca alta, flessibili di
collegamento, senza scarico.

3 hole basin mixer
with aerator, high spout,
flexible tails, without
pop-up waste.

ZVE5348	cromo - chrome	920
ZVE5348.C3	brushed nickel	1.150
ZVE5348.P30	british gold PVD	1.470
ZVE5348.P31	brushed british gold PVD	1.470
ZVE5348.P60	platinum PVD	1.470
ZVE5348.P80	total black PVD	1.470
ZVE5348.P81	brushed total black PVD	1.470
ZVE5348.P90	copper PVD	1.470
ZVE5348.P91	brushed copper PVD	1.470

ZVE5348.G4	cromo - chrome	1.000
ZVE5348.C3G4	brushed nickel	1.250
ZVE5348.P30G4	british gold PVD	1.600
ZVE5348.P31G4	brushed british gold PVD	1.600
ZVE5348.P60G4	platinum PVD	1.600
ZVE5348.P80G4	total black PVD	1.600
ZVE5348.P81G4	brushed total black PVD	1.600
ZVE5348.P90G4	copper PVD	1.600
ZVE5348.P91G4	brushed copper PVD	1.600

ZVE5348.G5	cromo - chrome	1.000
ZVE5348.C3G5	brushed nickel	1.250
ZVE5348.P30G5	british gold PVD	1.600
ZVE5348.P31G5	brushed british gold PVD	1.600
ZVE5348.P60G5	platinum PVD	1.600
ZVE5348.P80G5	total black PVD	1.600
ZVE5348.P81G5	brushed total black PVD	1.600
ZVE5348.P90G5	copper PVD	1.600
ZVE5348.P91G5	brushed copper PVD	1.600



R9742P.9500




R97755*



LAVABO
Batteria a 3 fori con aeratore,
flessibili di collegamento,
senza scarico.
3 hole basin mixer
with aerator, flexible tails,
without pop-up waste.

	ZVE5349	cromo - chrome	850
	ZVE5349.C3	brushed nickel	1.065
	ZVE5349.P30	british gold PVD	1.360
	ZVE5349.P31	brushed british gold PVD	1.360
	ZVE5349.P60	platinum PVD	1.360
	ZVE5349.P80	total black PVD	1.360
	ZVE5349.P81	brushed total black PVD	1.360
	ZVE5349.P90	copper PVD	1.360
	ZVE5349.P91	brushed copper PVD	1.360
	ZVE5349.G4	cromo - chrome	930
	ZVE5349.C3G4	brushed nickel	1.165
	ZVE5349.P30G4	british gold PVD	1.490
	ZVE5349.P31G4	brushed british gold PVD	1.490
	ZVE5349.P60G4	platinum PVD	1.490
	ZVE5349.P80G4	total black PVD	1.490
	ZVE5349.P81G4	brushed total black PVD	1.490
	ZVE5349.P90G4	copper PVD	1.490
	ZVE5349.P91G4	brushed copper PVD	1.490
	ZVE5349.G5	cromo - chrome	930
	ZVE5349.C3G5	brushed nickel	1.165
	ZVE5349.P30G5	british gold PVD	1.490
	ZVE5349.P31G5	brushed british gold PVD	1.490
	ZVE5349.P60G5	platinum PVD	1.490
	ZVE5349.P80G5	total black PVD	1.490
	ZVE5349.P81G5	brushed total black PVD	1.490
	ZVE5349.P90G5	copper PVD	1.490
	ZVE5349.P91G5	brushed copper PVD	1.490



R9742P.9500




R97755*



LAVABO
Batteria incasso a 3 fori
con aeratore.
Lunghezza bocca 175 mm.
3 hole built-in basin mixer
with aerator.
Spout projection 175 mm.

	ZVE5783	cromo - chrome	675
	ZVE5783.C3	brushed nickel	845
	ZVE5783.P30	british gold PVD	1.080
	ZVE5783.P31	brushed british gold PVD	1.080
	ZVE5783.P60	platinum PVD	1.080
	ZVE5783.P80	total black PVD	1.080
	ZVE5783.P81	brushed total black PVD	1.080
	ZVE5783.P90	copper PVD	1.080
	ZVE5783.P91	brushed copper PVD	1.080
	ZVE5783.G4	cromo - chrome	755
	ZVE5783.C3G4	brushed nickel	945
	ZVE5783.P30G4	british gold PVD	1.210
	ZVE5783.P31G4	brushed british gold PVD	1.210
	ZVE5783.P60G4	platinum PVD	1.210
	ZVE5783.P80G4	total black PVD	1.210
	ZVE5783.P81G4	brushed total black PVD	1.210
	ZVE5783.P90G4	copper PVD	1.210
	ZVE5783.P91G4	brushed copper PVD	1.210
	ZVE5783.G5	cromo - chrome	755
	ZVE5783.C3G5	brushed nickel	945
	ZVE5783.P30G5	british gold PVD	1.210
	ZVE5783.P31G5	brushed british gold PVD	1.210
	ZVE5783.P60G5	platinum PVD	1.210
	ZVE5783.P80G5	total black PVD	1.210
	ZVE5783.P81G5	brushed total black PVD	1.210
	ZVE5783.P90G5	copper PVD	1.210
	ZVE5783.P91G5	brushed copper PVD	1.210



R9754P.9500



R97755*




Parte incasso con elementi liberi,
distanza variabile.

Built-in part, not assembled,
variable distance.

R99504

235



Parte incasso con corpo unico,
interasse 200 mm.

Assembled built-in part,
interaxe 200 mm.

R99500

320

* Attenzione/attention: aggiungere estensione finitura del rubinetto / An extension matching the faucet finish is needed.



LAVABO
Batteria incasso a 3 fori
con aeratore.
Lunghezza bocca 200 mm.
 3 hole built-in basin mixer
 with aerator.
 Spout projection 200 mm.



ZVE5784	cromo - chrome	705
ZVE5784.C3	brushed nickel	880
ZVE5784.P30	british gold PVD	1.130
ZVE5784.P31	brushed british gold PVD	1.130
ZVE5784.P60	platinum PVD	1.130
ZVE5784.P80	total black PVD	1.130
ZVE5784.P81	brushed total black PVD	1.130
ZVE5784.P90	copper PVD	1.130
ZVE5784.P91	brushed copper PVD	1.130



ZVE5784.G4	cromo - chrome	785
ZVE5784.C3G4	brushed nickel	980
ZVE5784.P30G4	british gold PVD	1.255
ZVE5784.P31G4	brushed british gold PVD	1.255
ZVE5784.P60G4	platinum PVD	1.255
ZVE5784.P80G4	total black PVD	1.255
ZVE5784.P81G4	brushed total black PVD	1.255
ZVE5784.P90G4	copper PVD	1.255
ZVE5784.P91G4	brushed copper PVD	1.255


ZVE5784.G5	cromo - chrome	785
ZVE5784.C3G5	brushed nickel	980
ZVE5784.P31G5	brushed british gold PVD	1.255
ZVE5784.P60G5	platinum PVD	1.255
ZVE5784.P80G5	total black PVD	1.255
ZVE5784.P81G5	brushed total black PVD	1.255
ZVE5784.P90G5	copper PVD	1.255
ZVE5784.P91G5	brushed copper PVD	1.255



R9754P.9500



R97755*




Parte incasso con elementi liberi,
 distanza variabile.

Built-in part, not assembled,
 variable distance.

R99504

235



Parte incasso con corpo unico,
 interasse 200 mm.

Assembled built-in part,
 interaxe 200 mm.

R99500

320



LAVABO
Batteria incasso a 3 fori
con aeratore.
Lunghezza bocca 225 mm.
 3 hole built-in basin mixer
 with aerator.
 Spout projection 225 mm.



ZVE5785	cromo - chrome	735
ZVE5785.C3	brushed nickel	920
ZVE5785.P30	british gold PVD	1.175
ZVE5785.P31	brushed british gold PVD	1.175
ZVE5785.P60	platinum PVD	1.175
ZVE5785.P80	total black PVD	1.175
ZVE5785.P81	brushed total black PVD	1.175
ZVE5785.P90	copper PVD	1.175
ZVE5785.P91	brushed copper PVD	1.175



ZVE5785.G4	cromo - chrome	815
ZVE5785.C3G4	brushed nickel	1.020
ZVE5785.P30G4	british gold PVD	1.305
ZVE5785.P31G4	brushed british gold PVD	1.305
ZVE5785.P60G4	platinum PVD	1.305
ZVE5785.P80G4	total black PVD	1.305
ZVE5785.P81G4	brushed total black PVD	1.305
ZVE5785.P90G4	copper PVD	1.305
ZVE5785.P91G4	brushed copper PVD	1.305


ZVE5785.G5	cromo - chrome	815
ZVE5785.C3G5	brushed nickel	1.020
ZVE5785.P30G5	british gold PVD	1.305
ZVE5785.P31G5	brushed british gold PVD	1.305
ZVE5785.P60G5	platinum PVD	1.305
ZVE5785.P80G5	total black PVD	1.305
ZVE5785.P81G5	brushed total black PVD	1.305
ZVE5785.P90G5	copper PVD	1.305
ZVE5785.P91G5	brushed copper PVD	1.305



R9754P.9500



R97755*




Parte incasso con elementi liberi,
 distanza variabile.

Built-in part, not assembled,
 variable distance.

R99504

235




Parte incasso con corpo unico,
 interasse 200 mm.

Assembled built-in part,
 interaxe 200 mm.

R99500

320




BIDET

Batteria incasso con bocca da piano,
senza scarico.

Built-in bidet mixer with deck-mounted spout, without pop-up waste.

Piano,	ZVE5751	cromo - chrome	710
	ZVE5751.C3	brushed nickel	890
	ZVE5751.P30	british gold PVD	1.135
	ZVE5751.P31	brushed british gold PVD	1.135
	ZVE5751.P60	platinum PVD	1.135
	ZVE5751.P80	total black PVD	1.135
	ZVE5751.P81	brushed total black PVD	1.135
	ZVE5751.P90	copper PVD	1.135
	ZVE5751.P91	brushed copper PVD	1.135
	ZVE5751.G4	cromo - chrome	790
	ZVE5751.C3G4	brushed nickel	990
	ZVE5751.P30G4	british gold PVD	1.265
	ZVE5751.P31G4	brushed british gold PVD	1.265
	ZVE5751.P60G4	platinum PVD	1.265
	ZVE5751.P80G4	total black PVD	1.265
	ZVE5751.P81G4	brushed total black PVD	1.265
	ZVE5751.P90G4	copper PVD	1.265
	ZVE5751.P91G4	brushed copper PVD	1.265
	ZVE5751.G5	cromo - chrome	790
	ZVE5751.C3G5	brushed nickel	990
	ZVE5751.P30G5	british gold PVD	1.265
	ZVE5751.P31G5	brushed british gold PVD	1.265
	ZVE5751.P60G5	platinum PVD	1.265
	ZVE5751.P80G5	total black PVD	1.265
	ZVE5751.P81G5	brushed total black PVD	1.265
	ZVE5751.P90G5	copper PVD	1.265
	ZVE5751.P91G5	brushed copper PVD	1.265



R9754P.9500



R97755*



Parte incasso
Built-in part

R99503

170




BORDO-VASCA

**Batteria a 5 fori con bocca fissa,
doccia estraibile Z94177,
flessibile da 1500 mm.**

5 hole bath-mixer, spout with diverter, pull out shower Z94177, 1500 mm flexible hose.

	ZVE5524.	cromo - chrome	1.585
	ZVE5524.C3	brushed nickel	1.980
	ZVE5524.P30	british gold PVD	2.535
	ZVE5524.P31	brushed british gold PVD	2.535
	ZVE5524.P60	platinum PVD	2.535
	ZVE5524.P80	total black PVD	2.535
	ZVE5524.P81	brushed total black PVD	2.535
	ZVE5524.P90	copper PVD	2.535
	ZVE5524.P91	brushed copper PVD	2.535
	ZVE5524.G4	cromo - chrome	1.665
	ZVE5524.C3G4	brushed nickel	2.080
	ZVE5524.P30G4	british gold PVD	2.665
	ZVE5524.P31G4	brushed british gold PVD	2.665
	ZVE5524.P60G4	platinum PVD	2.665
	ZVE5524.P80G4	total black PVD	2.665
	ZVE5524.P81G4	brushed total black PVD	2.665
	ZVE5524.P90G4	copper PVD	2.665
	ZVE5524.P91G4	brushed copper PVD	2.665
	ZVE5524.G5	cromo - chrome	1.665
	ZVE5524.C3G5	brushed nickel	2.080
	ZVE5524.P30G5	british gold PVD	2.665
	ZVE5524.P31G5	brushed british gold PVD	2.665
	ZVE5524.P60G5	platinum PVD	2.665
	ZVE5524.P80G5	total black PVD	2.665
	ZVE5524.P81G5	brushed total black PVD	2.665
	ZVE5524.P90G5	copper PVD	2.665
	ZVE5524.P91G5	brushed copper PVD	2.665



R9742P.9500



VASCA-DOCCIA
Gruppo incasso a 3 fori con
deviatore a 2 vie.
3 hole built-in bath-shower mixer
with 2 way diverter.

ZVE5695	cromo - chrome	620
ZVE5695.C3	brushed nickel	775
ZVE5695.P30	british gold PVD	990
ZVE5695.P31	brushed british gold PVD	990
ZVE5695.P60	platinum PVD	990
ZVE5695.P80	total black PVD	990
ZVE5695.P81	brushed total black PVD	990
ZVE5695.P90	copper PVD	990
ZVE5695.P91	brushed copper PVD	990




ZVE5695.G4	cromo - chrome	700
ZVE5695.C3G4	brushed nickel	875
ZVE5695.P30G4	british gold PVD	1.120
ZVE5695.P31G4	brushed british gold PVD	1.120
ZVE5695.P60G4	platinum PVD	1.120
ZVE5695.P80G4	total black PVD	1.120
ZVE5695.P81G4	brushed total black PVD	1.120
ZVE5695.P90G4	copper PVD	1.120
ZVE5695.P91G4	brushed copper PVD	1.120



ZVE5695.G5	cromo - chrome	700
ZVE5695.C3G5	brushed nickel	875
ZVE5695.P30G5	british gold PVD	1.120
ZVE5695.P31G5	brushed british gold PVD	1.120
ZVE5695.P60G5	platinum PVD	1.120
ZVE5695.P80G5	total black PVD	1.120
ZVE5695.P81G5	brushed total black PVD	1.120
ZVE5695.P90G5	copper PVD	1.120
ZVE5695.P91G5	brushed copper PVD	1.120




R9754P.9500



Parte incasso
Built-in part

R99508

360



RUBINETTO
Incasso da 1/2".
1/2" wall valve.

ZVE5729	cromo - chrome	195
ZVE5729.C3	brushed nickel	245
ZVE5729.P30	british gold PVD	310
ZVE5729.P31	brushed british gold PVD	310
ZVE5729.P60	platinum PVD	310
ZVE5729.P80	total black PVD	310
ZVE5729.P81	brushed total black PVD	310
ZVE5729.P90	copper PVD	310
ZVE5729.P91	brushed copper PVD	310




ZVE5729.G4	cromo - chrome	235
ZVE5729.C3G4	brushed nickel	295
ZVE5729.P30G4	british gold PVD	375
ZVE5729.P31G4	brushed british gold PVD	375
ZVE5729.P60G4	platinum PVD	375
ZVE5729.P80G4	total black PVD	375
ZVE5729.P81G4	brushed total black PVD	375
ZVE5729.P90G4	copper PVD	375
ZVE5729.P91G4	brushed copper PVD	375



ZVE5729.G5	cromo - chrome	235
ZVE5729.C3G5	brushed nickel	295
ZVE5729.P30G5	british gold PVD	375
ZVE5729.P31G5	brushed british gold PVD	375
ZVE5729.P60G5	platinum PVD	375
ZVE5729.P80G5	total black PVD	375
ZVE5729.P81G5	brushed total black PVD	375
ZVE5729.P90G5	copper PVD	375
ZVE5729.P91G5	brushed copper PVD	375



R9753P



Parte incasso
Built-in part

R99779

90



DEVIATORE 2 VIE
Senza apertura/chiusura acqua,
uscite da 1/2". Da abbinare ad una
batteria incasso doccia.
2 way diverter without water on/off
function, 1/2" outlets. To be combined
to a built-in shower mixer.





Z94634	cromo - chrome	225
Z94634.C3	brushed nickel	280
Z94634.P30	british gold PVD	360
Z94634.P31	brushed british gold PVD	360
Z94634.P60	platinum PVD	360
Z94634.P80	total black PVD	360
Z94634.P81	brushed total black PVD	360
Z94634.P90	copper PVD	360
Z94634.P91	brushed copper PVD	360



Z94634.G4	cromo - chrome	265
Z94634.C3G4	brushed nickel	330
Z94634.P30G4	british gold PVD	425
Z94634.P31G4	brushed british gold PVD	425
Z94634.P60G4	platinum PVD	425
Z94634.P80G4	total black PVD	425
Z94634.P81G4	brushed total black PVD	425
Z94634.P90G4	copper PVD	425
Z94634.P91G4	brushed copper PVD	425

Z94634.G5	cromo - chrome	265
Z94634.C3G5	brushed nickel	330
Z94634.P30G5	british gold PVD	425
Z94634.P31G5	brushed british gold PVD	425
Z94634.P60G5	platinum PVD	425
Z94634.P80G5	total black PVD	425
Z94634.P81G5	brushed total black PVD	425
Z94634.P90G5	copper PVD	425
Z94634.P91G5	brushed copper PVD	425



Parte incasso
Built-in part

R97830

145



DEVIATORE 3 VIE
Senza apertura/chiusura acqua,
uscite da 1/2". Da abbinare ad una
batteria incasso doccia.
3 way diverter without water on/off
function, 1/2" outlets. To be combined
to a built-in shower mixer.





Z94634	cromo - chrome	225
Z94634.C3	brushed nickel	280
Z94634.P30	british gold PVD	360
Z94634.P31	brushed british gold PVD	360
Z94634.P60	platinum PVD	360
Z94634.P80	total black PVD	360
Z94634.P81	brushed total black PVD	360
Z94634.P90	copper PVD	360
Z94634.P91	brushed copper PVD	360



Z94634.G4	cromo - chrome	265
Z94634.C3G4	brushed nickel	330
Z94634.P30G4	british gold PVD	425
Z94634.P31G4	brushed british gold PVD	425
Z94634.P60G4	platinum PVD	425
Z94634.P80G4	total black PVD	425
Z94634.P81G4	brushed total black PVD	425
Z94634.P90G4	copper PVD	425
Z94634.P91G4	brushed copper PVD	425

Z94634.G5	cromo - chrome	265
Z94634.C3G5	brushed nickel	330
Z94634.P30G5	british gold PVD	425
Z94634.P31G5	brushed british gold PVD	425
Z94634.P60G5	platinum PVD	425
Z94634.P80G5	total black PVD	425
Z94634.P81G5	brushed total black PVD	425
Z94634.P90G5	copper PVD	425
Z94634.P91G5	brushed copper PVD	425



Parte incasso
Built-in part


R97835

215



DOCCIA
Termostatico incasso da 3/4",
con rubinetto d'arresto.
Installazione possibile sia
in verticale che in orizzontale.
3/4" built-in thermostatic shower mixer
with stop valve. Both vertical and
horizontal installation possible.

ZVE801	cromo - chrome	575
ZVE801.C3	brushed nickel	720
ZVE801.P30	british gold PVD	920
ZVE801.P31	brushed british gold PVD	920
ZVE801.P60	platinum PVD	920
ZVE801.P80	total black PVD	920
ZVE801.P81	brushed total black PVD	920
ZVE801.P90	copper PVD	920
ZVE801.P91	brushed copper PVD	920



Parte incasso
Built-in part


R96730	365
--------	-----



DOCCIA
Termostatico incasso da 3/4",
con rubinetto d'arresto.
Installazione possibile sia
in verticale che in orizzontale.
3/4" built-in thermostatic shower mixer
with stop valve. Both vertical and
horizontal installation possible.



ZVE5801	cromo - chrome	575
ZVE5801.C3	brushed nickel	720
ZVE5801.P30	british gold PVD	920
ZVE5801.P31	brushed british gold PVD	920
ZVE5801.P60	platinum PVD	920
ZVE5801.P80	total black PVD	920
ZVE5801.P81	brushed total black PVD	920
ZVE5801.P90	copper PVD	920
ZVE5801.P91	brushed copper PVD	920
ZVE5801.G4	cromo - chrome	615
ZVE5801.C3G4	brushed nickel	770
ZVE5801.P30G4	british gold PVD	985
ZVE5801.P31G4	brushed british gold PVD	985
ZVE5801.P60G4	platinum PVD	985
ZVE5801.P80G4	total black PVD	985
ZVE5801.P81G4	brushed total black PVD	985
ZVE5801.P90G4	copper PVD	985
ZVE5801.P91G4	brushed copper PVD	985
ZVE5801.G5	cromo - chrome	615
ZVE5801.C3G5	brushed nickel	770
ZVE5801.P30G5	british gold PVD	985
ZVE5801.P31G5	brushed british gold PVD	985
ZVE5801.P60G5	platinum PVD	985
ZVE5801.P80G5	total black PVD	985
ZVE5801.P81G5	brushed total black PVD	985
ZVE5801.P90G5	copper PVD	985
ZVE5801.P91G5	brushed copper PVD	985




Parte incasso
Built-in part

R96730	365
--------	-----



DOCCIA
Termostatico incasso da 3/4",
con 3 rubinetti d'arresto.
Installazione possibile sia
in verticale che in orizzontale.
3/4" built-in thermostatic shower mixer
with 3 stop valves. Both vertical and
horizontal installation possible.

ZVE803	cromo - chrome	935
ZVE803.C3	brushed nickel	1.170
ZVE803.P30	british gold PVD	1.495
ZVE803.P31	brushed british gold PVD	1.495
ZVE803.P60	platinum PVD	1.495
ZVE803.P80	total black PVD	1.495
ZVE803.P81	brushed total black PVD	1.495
ZVE803.P90	copper PVD	1.495
ZVE803.P91	brushed copper PVD	1.495



Parte incasso
Built-in part

R96732


635



DOCCIA
Termostatico incasso da 3/4",
con 3 rubinetti d'arresto.
Installazione possibile sia
in verticale che in orizzontale.
3/4" built-in thermostatic shower mixer
with 3 stop valves. Both vertical and
horizontal installation possible.



ZVE5803	cromo - chrome	935
ZVE5803.C3	brushed nickel	1.170
ZVE5803.P30	british gold PVD	1.495
ZVE5803.P31	brushed british gold PVD	1.495
ZVE5803.P60	platinum PVD	1.495
ZVE5803.P80	total black PVD	1.495
ZVE5803.P81	brushed total black PVD	1.495
ZVE5803.P90	copper PVD	1.495
ZVE5803.P91	brushed copper PVD	1.495
ZVE5803.G4	cromo - chrome	1.055
ZVE5803.C3G4	brushed nickel	1.320
ZVE5803.P30G4	british gold PVD	1.690
ZVE5803.P31G4	brushed british gold PVD	1.690
ZVE5803.P60G4	platinum PVD	1.690
ZVE5803.P80G4	total black PVD	1.690
ZVE5803.P81G4	brushed total black PVD	1.690
ZVE5803.P90G4	copper PVD	1.690
ZVE5803.P91G4	brushed copper PVD	1.690
ZVE5803.G5	cromo - chrome	1.055
ZVE5803.C3G5	brushed nickel	1.320
ZVE5803.P30G5	british gold PVD	1.690
ZVE5803.P31G5	brushed british gold PVD	1.690
ZVE5803.P60G5	platinum PVD	1.690
ZVE5803.P80G5	total black PVD	1.690
ZVE5803.P81G5	brushed total black PVD	1.690
ZVE5803.P90G5	copper PVD	1.690
ZVE5803.P91G5	brushed copper PVD	1.690



Parte incasso
Built-in part

R96732

635



DOCCIA


**Termostatico incasso da 3/4",
con 4 rubinetti d'arresto.
Installazione possibile sia
in verticale che in orizzontale.**

3/4" built-in thermostatic shower mixer with 4 stop valves. Both vertical and horizontal installation possible.

ZVE804	cromo - chrome	1.115
ZVE804.C3	brushed nickel	1.395
ZVE804.P30	british gold PVD	1.785
ZVE804.P31	brushed british gold PVD	1.785
ZVE804.P60	platinum PVD	1.785
ZVE804.P80	total black PVD	1.785
ZVE804.P81	brushed total black PVD	1.785
ZVE804.P90	copper PVD	1.785
ZVE804.P91	brushed copper PVD	1.785




Parte incasso
Built-in part



R96733

770



DOCCIA


**Termostatico incasso da 3/4",
con 4 rubinetti d'arresto.
Installazione possibile sia
in verticale che in orizzontale.**

3/4" built-in thermostatic shower mixer with 4 stop valves. Both vertical and horizontal installation possible.

ZVE5804	cromo - chrome	1.115
ZVE5804.C3	brushed nickel	1.395
ZVE5804.P30	british gold PVD	1.785
ZVE5804.P31	brushed british gold PVD	1.785
ZVE5804.P60	platinum PVD	1.785
ZVE5804.P80	total black PVD	1.785
ZVE5804.P81	brushed total black PVD	1.785
ZVE5804.P90	copper PVD	1.785
ZVE5804.P91	brushed copper PVD	1.785



Parte incasso
Built-in part



R96733

770



DOCCIA CON DEVIATORE 2 VIE
Termostatico incasso da 3/4"
e deviatore a 2 vie con apertura/
chiusura acqua. Installazione
possibile sia in verticale che in
orizzontale.
3/4" built-in thermostatic
shower mixer and 2 way diverter
with water on/off function.
Both vertical and horizontal
installation possible.


ZVE806	cromo - chrome	595
ZVE806.C3	brushed nickel	745
ZVE806.P30	british gold PVD	950
ZVE806.P31	brushed british gold PVD	950
ZVE806.P60	platinum PVD	950
ZVE806.P80	total black PVD	950
ZVE806.P81	brushed total black PVD	950
ZVE806.P90	copper PVD	950
ZVE806.P91	brushed copper PVD	950



R96437



R96435



Parte incasso
Built-in part

R96734

455



DOCCIA CON DEVIATORE 2 VIE
Termostatico incasso da 3/4"
e deviatore a 2 vie con apertura/
chiusura acqua. Installazione
possibile sia in verticale che in
orizzontale.
3/4" built-in thermostatic
shower mixer and 2 way diverter
with water on/off function.
Both vertical and horizontal
installation possible.




ZVE5806	cromo - chrome	595
ZVE5806.C3	brushed nickel	745
ZVE5806.P30	british gold PVD	950
ZVE5806.P31	brushed british gold PVD	950
ZVE5806.P60	platinum PVD	950
ZVE5806.P80	total black PVD	950
ZVE5806.P81	brushed total black PVD	950
ZVE5806.P90	copper PVD	950
ZVE5806.P91	brushed copper PVD	950
ZVE5806.G4	cromo - chrome	635
ZVE5806.C3G4	brushed nickel	795
ZVE5806.P30G4	british gold PVD	1.015
ZVE5806.P31G4	brushed british gold PVD	1.015
ZVE5806.P60G4	platinum PVD	1.015
ZVE5806.P80G4	total black PVD	1.015
ZVE5806.P81G4	brushed total black PVD	1.015
ZVE5806.P90G4	copper PVD	1.015
ZVE5806.P91G4	brushed copper PVD	1.015
ZVE5806.G5	cromo - chrome	635
ZVE5806.C3G5	brushed nickel	795
ZVE5806.P30G5	british gold PVD	1.015
ZVE5806.P31G5	brushed british gold PVD	1.015
ZVE5806.P60G5	platinum PVD	1.015
ZVE5806.P80G5	total black PVD	1.015
ZVE5806.P81G5	brushed total black PVD	1.015
ZVE5806.P90G5	copper PVD	1.015
ZVE5806.P91G5	brushed copper PVD	1.015



R96437



R96435



Parte incasso
Built-in part


R96734

455



DOCCIA CON DEVIATORE 3 VIE
Termostatico incasso da 3/4"
e deviatore a 3 vie con apertura/
chiusura acqua. Installazione
possibile sia in verticale che in
orizzontale.
3/4" built-in thermostatic shower
mixer and 3 way diverter with
water on/off function. Both
vertical and horizontal installation
possible.

ZVE806	cromo - chrome	595
ZVE806.C3	brushed nickel	745
ZVE806.P30	british gold PVD	950
ZVE806.P31	brushed british gold PVD	950
ZVE806.P60	platinum PVD	950
ZVE806.P80	total black PVD	950
ZVE806.P81	brushed total black PVD	950
ZVE806.P90	copper PVD	950
ZVE806.P91	brushed copper PVD	950



Parte incasso
Built-in part


R96735	485
--------	-----



DOCCIA CON DEVIATORE 3 VIE
Termostatico incasso da 3/4"
e deviatore a 3 vie con apertura/
chiusura acqua. Installazione
possibile sia in verticale che in
orizzontale.
3/4" built-in thermostatic shower
mixer and 3 way diverter with
water on/off function. Both
vertical and horizontal installation
possible.



ZVE5806	cromo - chrome	595
ZVE5806.C3	brushed nickel	745
ZVE5806.P30	british gold PVD	950
ZVE5806.P31	brushed british gold PVD	950
ZVE5806.P60	platinum PVD	950
ZVE5806.P80	total black PVD	950
ZVE5806.P81	brushed total black PVD	950
ZVE5806.P90	copper PVD	950
ZVE5806.P91	brushed copper PVD	950
ZVE5806.G4	cromo - chrome	635
ZVE5806.C3G4	brushed nickel	795
ZVE5806.P30G4	british gold PVD	1.015
ZVE5806.P31G4	brushed british gold PVD	1.015
ZVE5806.P60G4	platinum PVD	1.015
ZVE5806.P80G4	total black PVD	1.015
ZVE5806.P81G4	brushed total black PVD	1.015
ZVE5806.P90G4	copper PVD	1.015
ZVE5806.P91G4	brushed copper PVD	1.015
ZVE5806.G5	cromo - chrome	635
ZVE5806.C3G5	brushed nickel	795
ZVE5806.P30G5	british gold PVD	1.015
ZVE5806.P31G5	brushed british gold PVD	1.015
ZVE5806.P60G5	platinum PVD	1.015
ZVE5806.P80G5	total black PVD	1.015
ZVE5806.P81G5	brushed total black PVD	1.015
ZVE5806.P90G5	copper PVD	1.015
ZVE5806.P91G5	brushed copper PVD	1.015




Parte incasso
Built-in part

R96735	485
--------	-----




BOCCA
Bocca di erogazione L.175 mm.
Wall spout L.175 mm.

Z92266	cromo - chrome	300
Z92266.C3	brushed nickel	375
Z92266.P30	british gold PVD	480
Z92266.P31	brushed british gold PVD	480
Z92266.P60	platinum PVD	480
Z92266.P80	total black PVD	480
Z92266.P81	brushed total black PVD	480
Z92266.P90	copper PVD	480
Z92266.P91	brushed copper PVD	480




BOCCA
Bocca di erogazione L.200 mm.
Wall spout L.200 mm.

Z92267	cromo - chrome	330
Z92267.C3	brushed nickel	415
Z92267.P30	british gold PVD	530
Z92267.P31	brushed british gold PVD	530
Z92267.P60	platinum PVD	530
Z92267.P80	total black PVD	530
Z92267.P81	brushed total black PVD	530
Z92267.P90	copper PVD	530
Z92267.P91	brushed copper PVD	530




BOCCA
Bocca di erogazione L.225 mm.
Wall spout L.225 mm.

Z92268	cromo - chrome	360
Z92268.C3	brushed nickel	450
Z92268.P30	british gold PVD	575
Z92268.P31	brushed british gold PVD	575
Z92268.P60	platinum PVD	575
Z92268.P80	total black PVD	575
Z92268.P81	brushed total black PVD	575
Z92268.P90	copper PVD	575
Z92268.P91	brushed copper PVD	575



ASTA MURALE SINGOLA
Con barra da 800 mm.
Slide rail with adjustable bracket.
Length 800 mm.


Z95201	cromo - chrome	150
Z95201.C3	brushed nickel	195
Z95201.P30	british gold PVD	245
Z95201.P31	brushed british gold PVD	245
Z95201.P60	platinum PVD	245
Z95201.P80	total black PVD	245
Z95201.P81	brushed total black PVD	245
Z95201.P90	copper PVD	245
Z95201.P91	brushed copper PVD	245



COMPLETO ASTA MURALE
Con barra da 800 mm,
doccetta a getto fisso Z94177,
flessibile da 1500 mm.
Complete slide rail length 800 mm,
handshower Z94177 simple jet,
1500 mm flexible hose.




Z95182	cromo - chrome	290
Z95182.C3	brushed nickel	370
Z95182.P30	british gold PVD	525
Z95182.P31	brushed british gold PVD	525
Z95182.P60	platinum PVD	525
Z95182.P80	total black PVD	525
Z95182.P81	brushed total black PVD	525
Z95182.P90	copper PVD	525
Z95182.P91	brushed copper PVD	525



COMPLETO DOCCIA
Composto da appendidoccia duplex,
doccetta Z94177 in ottone
e flessibile in PVC.
Handshower set with wall-mounted
shower support, brass handshower
Z94177 and PVC flexible hose.



Z93928	cromo - chrome	290
Z93928.C3	brushed nickel	360
Z93928.P30	british gold PVD	480
Z93928.P31	brushed british gold PVD	480
Z93928.P60	platinum PVD	480
Z93928.P80	total black PVD	480
Z93928.P81	brushed total black PVD	480
Z93928.P90	copper PVD	480
Z93928.P91	brushed copper PVD	480






DOCCETTA
A getto fisso in ottone,
con sistema anticalcare.
Brass handshower simple jet,
with anti-limescale system.




Z94177	cromo - chrome	120
Z94177.C3	brushed nickel	160
Z94177.P30	british gold PVD	200
Z94177.P31	brushed british gold PVD	200
Z94177.P60	platinum PVD	200
Z94177.P80	total black PVD	200
Z94177.P81	brushed total black PVD	200
Z94177.P90	copper PVD	200
Z94177.P91	brushed copper PVD	200



DOCCETTA
A getto fisso in ottone,
con sistema anticalcare.
Brass handshower simple jet,
with anti-limescale system.




Z94300	cromo - chrome	270
Z94300.C3	brushed nickel	335
Z94300.P30	british gold PVD	440
Z94300.P31	brushed british gold PVD	440
Z94300.P60	platinum PVD	440
Z94300.P80	total black PVD	440
Z94300.P81	brushed total black PVD	440
Z94300.P90	copper PVD	440
Z94300.P91	brushed copper PVD	440



DOCCETTA
A getto fisso in acciaio inox,
con sistema anticalcare.
Stainless steel handshower simple jet,
with anti-limescale system.




Z95266	cromo - chrome	240
Z95266.X	brushed stainless steel	240
Z95266.P30	british gold PVD	395
Z95266.XP31	brushed british gold PVD	395
Z95266.P60	platinum PVD	395
Z95266.P80	total black PVD	395
Z95266.XP81	brushed total black PVD	395
Z95266.P90	copper PVD	395
Z95266.XP91	brushed copper PVD	395



FLESSIBILE
In PVC.
Lunghezza 1500 mm.
PVC flexible hose.
Length 1500 mm.


Z94130	argento - silver	47
Z94130.C3	brushed nickel	65
Z94130.P30	british gold PVD	95
Z94120.XP31	brushed british gold PVD	125
Z94130.P60	platinum PVD	95
Z94130.P80	total black PVD	95
Z94120.XP81	brushed total black PVD	125
Z94130.P90	copper PVD	95
Z94120.XP91	brushed copper PVD	125

Nelle finiture .P90 e .XP91 il tubo è di colore nero
In the .P90 and .XP91 finishes the hose is black




FLESSIBILE
In ottone.
Lunghezza 1500 mm.
Brass flexible hose.
Length 1500 mm.

Z93867	cromo - chrome	39
--------	----------------	----



BRACCIO DOCCIA
A parete. Lunghezza 350 mm.
Wall mounted shower arm.
Length 350 mm.


Z93027	cromo - chrome	105
Z93027.C3	brushed nickel	130
Z93027.P30	british gold PVD	180
Z93027.P31	brushed british gold PVD	180
Z93027.P60	platinum PVD	180
Z93027.P80	total black PVD	180
Z93027.P81	brushed total black PVD	180
Z93027.P90	copper PVD	180
Z93027.P91	brushed copper PVD	180






BRACCIO DOCCIA
A soffitto. Lunghezza 130 mm.
Ceiling mounted shower arm.
Length 130 mm.

Z93026	cromo - chrome	42
Z93026.C3	brushed nickel	58
Z93026.P30	british gold PVD	80
Z93026.P31	brushed british gold PVD	80
Z93026.P60	platinum PVD	80
Z93026.P80	total black PVD	80
Z93026.P81	brushed total black PVD	80
Z93026.P90	copper PVD	80
Z93026.P91	brushed copper PVD	80




BRACCIO DOCCIA
A soffitto. Lunghezza 300 mm.
Ceiling mounted shower arm.
Length 300 mm.

Z93024	cromo - chrome	90
Z93024.C3	brushed nickel	110
Z93024.P30	british gold PVD	145
Z93024.P31	brushed british gold PVD	145
Z93024.P60	platinum PVD	145
Z93024.P80	total black PVD	145
Z93024.P81	brushed total black PVD	145
Z93024.P90	copper PVD	145
Z93024.P91	brushed copper PVD	145




ROSONE
Per braccio doccia
(Z93027/Z93026/Z93024).
Ø 80 mm.
Flange for shower arm
(Z93027/Z93026/Z93024).
Ø 80 mm.

R96544	cromo - chrome	42
R96544.C3	brushed nickel	53
R96544.P30	british gold PVD	68
R96544.P31	brushed british gold PVD	68
R96544.P60	platinum PVD	68
R96544.P80	total black PVD	68
R96544.P81	brushed total black PVD	68
R96544.P90	copper PVD	68
R96544.P91	brushed copper PVD	68




SOFFIONE Ø 200
In ottone a getto fisso con sistema
anticalcare, spessore 8 mm.
Ispezionabile.
Ø 200 mm brass shower head with
anti-limescale system,
8 mm thickness. Inspectionable.

Z94265	cromo - chrome	280
Z94265.C3	brushed nickel	345
Z94265.P30	british gold PVD	455
Z94265.P31	brushed british gold PVD	455
Z94265.P60	platinum PVD	455
Z94265.P80	total black PVD	455
Z94265.P81	brushed total black PVD	455
Z94265.P90	copper PVD	455
Z94265.P91	brushed copper PVD	455




SOFFIONE Ø 250
In ottone a getto fisso con sistema
anticalcare, spessore 8 mm.
Ispezionabile.
Ø 250 mm brass shower head with
anti-limescale system,
8 mm thickness. Inspectionable.

Z94312	cromo - chrome	390
Z94312.C3	brushed nickel	490
Z94312.P30	british gold PVD	645
Z94312.P31	brushed british gold PVD	645
Z94312.P60	platinum PVD	645
Z94312.P80	total black PVD	645
Z94312.P81	brushed total black PVD	645
Z94312.P90	copper PVD	645
Z94312.P91	brushed copper PVD	645



SOFFIONE Ø 300
In ottone a getto fisso con sistema
anticalcare, spessore 8 mm.
Ispezionabile.
Ø 300 mm brass shower head with
anti-limescale system,
8 mm thickness. Inspectionable.

Z94266	cromo - chrome	495
Z94266.C3	brushed nickel	620
Z94266.P30	british gold PVD	820
Z94266.P31	brushed british gold PVD	820
Z94266.P60	platinum PVD	820
Z94266.P80	total black PVD	820
Z94266.P81	brushed total black PVD	820
Z94266.P90	copper PVD	820
Z94266.P91	brushed copper PVD	820







SOFFIONE Ø 400
In ottone a getto fisso con sistema anticalcare, spessore 8 mm. Ispezionabile.
Ø 400 mm brass shower head with anti-limescale system, 8 mm thickness. Inspectionable.




Z94267	cromo - chrome	860
Z94267.C3	brushed nickel	1.075
Z94267.P31	brushed british gold PVD	1.430
Z94267.P60	platinum PVD	1.430
Z94267.P80	total black PVD	1.430
Z94267.P81	brushed total black PVD	1.430
Z94267.P90	copper PVD	1.430
Z94267.P91	brushed copper PVD	1.430
Z94267.P30	brushed gold PVD	1.430




SOFFIONE Ø 210
In ottone, a getto fisso con sistema anticalcare.
Ø 210 mm brass shower head, with anti-limescale system.




Z94189	cromo - chrome	400
Z94189.C3	brushed nickel	500
Z94189.P30	british gold PVD	655
Z94189.P31	brushed british gold PVD	655
Z94189.P60	platinum PVD	655
Z94189.P80	total black PVD	655
Z94189.P81	brushed total black PVD	655
Z94189.P90	copper PVD	655
Z94189.P91	brushed copper PVD	655



SOFFIONE Ø 250
In acciaio inox a getto fisso con sistema anticalcare. Ispezionabile.
Ø 250 mm stainless steel shower head with anti-limescale system. Inspectionable.




Z95264	cromo - chrome	390
Z95264.X	brushed stainless steel	390
Z95264.P30	british gold PVD	645
Z95264.XP31	brushed british gold PVD	645
Z95264.P60	platinum PVD	645
Z95264.P80	total black PVD	645
Z95264.XP81	brushed total black PVD	645
Z95264.P90	copper PVD	645
Z95264.XP91	brushed copper PVD	645




APPENDIDOCIA FISSO
Per gruppo esterno.
Handshower support for exposed mixer.

Z93792	cromo - chrome	53
Z93792.C3	brushed nickel	63
Z93792.P30	british gold PVD	85
Z93792.P31	brushed british gold PVD	85
Z93792.P60	platinum PVD	85
Z93792.P80	total black PVD	85
Z93792.P81	brushed total black PVD	85
Z93792.P90	copper PVD	85
Z93792.P91	brushed copper PVD	85




APPENDIDOCIA DUPLEX
Da 1/2"x1/2".
Per gruppo incasso.
Wall mounted shower support, 1/2" hose connection.

Z93916	cromo - chrome	140
Z93916.C3	brushed nickel	180
Z93916.P30	british gold PVD	235
Z93916.P31	brushed british gold PVD	235
Z93916.P60	platinum PVD	235
Z93916.P80	total black PVD	235
Z93916.P81	brushed total black PVD	235
Z93916.P90	copper PVD	235
Z93916.P91	brushed copper PVD	235



PRESA ACQUA
Da 1/2"x1/2".
Per gruppo incasso.
Wall elbow, 1/2"x1/2".

Z93917	cromo - chrome	120
Z93917.C3	brushed nickel	150
Z93917.P30	british gold PVD	200
Z93917.P31	brushed british gold PVD	200
Z93917.P60	platinum PVD	200
Z93917.P80	total black PVD	200
Z93917.P81	brushed total black PVD	200
Z93917.P90	copper PVD	200
Z93917.P91	brushed copper PVD	200





IDROSCOPINO WC/BIDET
Completo di miscelatore
monocomando incasso, doccetta
shut-off in ottone, appendidoccia
duplex e flessibile da 1200 mm.
 WC/bidet hydrobrush with built-in single
 lever mixer, brass shut-off handshower,
 handshower support
 and 1200 mm flexible hose.




ZVE417	cromo - chrome	490
ZVE417.C3	brushed nickel	615
ZVE417.P30	british gold PVD	785
ZVE417.P31	brushed british gold PVD	785
ZVE417.P60	platinum PVD	785
ZVE417.P80	total black PVD	785
ZVE417.P81	brushed total black PVD	785
ZVE417.P90	copper PVD	785
ZVE417.P91	brushed copper PVD	785



ZVE417.G4	cromo - chrome	530
ZVE417.C3G4	brushed nickel	665
ZVE417.P30G4	british gold PVD	850
ZVE417.P31G4	brushed british gold PVD	850
ZVE417.P60G4	platinum PVD	850
ZVE417.P80G4	total black PVD	850
ZVE417.P81G4	brushed total black PVD	850
ZVE417.P90G4	copper PVD	850
ZVE417.P91G4	brushed copper PVD	850

ZVE417.G5	cromo - chrome	530
ZVE417.C3G5	brushed nickel	665
ZVE417.P30G5	british gold PVD	850
ZVE417.P31G5	brushed british gold PVD	850
ZVE417.P60G5	platinum PVD	850
ZVE417.P80G5	total black PVD	850
ZVE417.P81G5	brushed total black PVD	850
ZVE417.P90G5	copper PVD	850
ZVE417.P91G5	brushed copper PVD	850



Parte incasso
 Built-in part


R96720

155




IDROSCOPINO WC
Completo di rubinetto da 1/2"
con appendidoccia integrato,
doccetta shut-off in ottone,
flessibile da 1200 mm.
 WC hydrobrush with 1/2" tap and
 with integrated handshower support,
 brass shut-off handshower, 1200 mm
 flexible hose.

Z93994	cromo - chrome	360
Z93994.C3	brushed nickel	450
Z93994.P30	british gold PVD	595
Z93994.P31	brushed british gold PVD	595
Z93994.P60	platinum PVD	595
Z93994.P80	total black PVD	595
Z93994.P81	brushed total black PVD	595
Z93994.P90	copper PVD	595
Z93994.P91	brushed copper PVD	595




SCARICO UNIVERSALE
Chiusura a pressione.
 Pop-up waste, with push system.

R97755	cromo - chrome	80
R97755.C3	brushed nickel	110
R97755.P30	british gold PVD	150
R97755.P31	brushed british gold PVD	150
R97755.P60	platinum PVD	150
R97755.P80	total black PVD	150
R97755.P81	brushed total black PVD	150
R97755.P90	copper PVD	150
R97755.P91	brushed copper PVD	150



SCARICO UNIVERSALE
Uscita libera.
 Open waste.

R97760	cromo - chrome	70
R97760.C3	brushed nickel	95
R97760.P30	british gold PVD	130
R97760.P31	brushed british gold PVD	130
R97760.P60	platinum PVD	130
R97760.P80	total black PVD	130
R97760.P81	brushed total black PVD	130
R97760.P90	copper PVD	130
R97760.P91	brushed copper PVD	130






RUBINETTO SOTTOLAVABO
Da 1/2", con filtro.
Angle stop valve 1/2" inlet, with filter.


2 pezzi/ 2 pcs
Prezzo per confezione/ Price for package

Z9127P.9500	cromo - chrome	220
Z9127P.9500C3	brushed nickel	280
Z9127P.9500P30	british gold PVD	370
Z9127P.9500P31	brushed british gold PVD	370
Z9127P.9500P60	platinum PVD	370
Z9127P.9500P80	total black PVD	370
Z9127P.9500P81	brushed total black PVD	370
Z9127P.9500P90	copper PVD	370
Z9127P.9500P91	brushed copper PVD	370





SIFONE
Da 1 1/4" senza piletta.
1 1/4" bottle trap without plug.

Z9502P	cromo - chrome	190
Z9502P.C3	brushed nickel	235
Z9502P.P30	british gold PVD	320
Z9502P.P31	brushed british gold PVD	320
Z9502P.P60	platinum PVD	320
Z9502P.P80	total black PVD	320
Z9502P.P81	brushed total black PVD	320
Z9502P.P90	copper PVD	320
Z9502P.P91	brushed copper PVD	320




PLACCA PER CASSETTE DI SCARICO
Placca di comando in acciaio inox, attacco magnetico, senza fissaggi a vista. Compatible con Geberit Sigma 8 e Sigma 12. Incasso minimo della cassetta Geberit: 25 mm.
Toilet flush plate with stainless steel plate, magnetic connection, no fixing in sight. Suitable for use with Geberit Sigma 8 and Sigma 12. Minimum gap required for the Geberit box: 25 mm.

Z95340	cromo - chrome	535
Z95340.X	brushed stainless steel	645
Z95340.P30	british gold PVD	830
Z95340.XP31	brushed british gold PVD	830
Z95340.P60	platinum PVD	830
Z95340.P80	total black PVD	830
Z95340.XP81	brushed total black PVD	830
Z95340.P90	copper PVD	830
Z95340.XP91	brushed copper PVD	830




PLACCA PER CASSETTE DI SCARICO
Placca di comando in acciaio inox, senza fissaggi a vista. Compatible con Geberit, Tece, Viega e Oli. Vedi scheda tecnica per i modelli compatibili e info tecniche.
Toilet flush plate with stainless steel plate, without visible fixing. Compatible with Geberit, Tece, Viega and Oli. See technical sheet for compatible models and technical information.

Z95345	cromo - chrome	390
Z95345.X	brushed stainless steel	470
Z95345.P30	british gold PVD	700
Z95345.XP31	brushed british gold PVD	700
Z95345.P60	platinum PVD	700
Z95345.P80	total black PVD	700
Z95345.XP81	brushed total black PVD	700
Z95345.P90	copper PVD	700
Z95345.XP91	brushed copper PVD	700




PORTA BICCHIERE
A muro.
Wall tumbler holder.


ZAD513	cromo - chrome	140
ZAD513.C3	brushed nickel	175
ZAD513.P30	british gold PVD	230
ZAD513.P31	brushed british gold PVD	230
ZAD513.P60	platinum PVD	230
ZAD513.P80	total black PVD	230
ZAD513.P81	brushed total black PVD	230
ZAD513.P90	copper PVD	230
ZAD513.P91	brushed copper PVD	230








DISPENSER
A muro.
Wall mounted soap dispenser.

ZAD515	cromo - chrome	170
ZAD515.C3	brushed nickel	210
ZAD515.P30	british gold PVD	275
ZAD515.P31	brushed british gold PVD	275
ZAD515.P60	platinum PVD	275
ZAD515.P80	total black PVD	275
ZAD515.P81	brushed total black PVD	275
ZAD515.P90	copper PVD	275
ZAD515.P91	brushed copper PVD	275



VELOCE		CODICE		€	
	PORTA SALVIETTE Lunghezza 30 cm. Towel holder, length 30 cm.	ZAF220 ZAF220.C3 ZAF220.P30 ZAF220.P31 ZAF220.P60 ZAF220.P80 ZAF220.P81 ZAF220.P90 ZAF220.P91	cromo - chrome brushed nickel british gold PVD brushed british gold PVD platinum PVD total black PVD brushed total black PVD copper PVD brushed copper PVD	270 340 445 445 445 445 445 445 445	
	PORTA SALVIETTE Lunghezza 45 cm. Towel holder, length 45 cm.	ZAF221 ZAF221.C3 ZAF221.P30 ZAF221.P31 ZAF221.P60 ZAF221.P80 ZAF221.P81 ZAF221.P90 ZAF221.P91	cromo - chrome brushed nickel british gold PVD brushed british gold PVD platinum PVD total black PVD brushed total black PVD copper PVD brushed copper PVD	300 375 495 495 495 495 495 495 495	
	PORTA SALVIETTE Lunghezza 60 cm. Towel holder, length 60 cm.	ZAF222 ZAF222.C3 ZAF222.P30 ZAF222.P31 ZAF222.P60 ZAF222.P80 ZAF222.P81 ZAF222.P90 ZAF222.P91	cromo - chrome brushed nickel british gold PVD brushed british gold PVD platinum PVD total black PVD brushed total black PVD copper PVD brushed copper PVD	330 415 545 545 545 545 545 545 545	
	APPENDIABITI Hook.	ZAF250 ZAF250.C3 ZAF250.P30 ZAF250.P31 ZAF250.P60 ZAF250.P80 ZAF250.P81 ZAF250.P90 ZAF250.P91	cromo - chrome brushed nickel british gold PVD brushed british gold PVD platinum PVD total black PVD brushed total black PVD copper PVD brushed copper PVD	95 120 155 155 155 155 155 155 155	
	PORTA ROTOLO Toilet paper holder.	ZAF230 ZAF230.C3 ZAF230.P30 ZAF230.P31 ZAF230.P60 ZAF230.P80 ZAF230.P81 ZAF230.P90 ZAF230.P91	cromo - chrome brushed nickel british gold PVD brushed british gold PVD platinum PVD total black PVD brushed total black PVD copper PVD brushed copper PVD	205 255 340 340 340 340 340 340 340	
	PORTA ROTOLO Con mensola. Toilet paper holder with shelf.	ZAF232 ZAF232.C3 ZAF232.P30 ZAF232.P31 ZAF232.P60 ZAF232.P80 ZAF232.P81 ZAF232.P90 ZAF232.P91	cromo - chrome brushed nickel british gold PVD brushed british gold PVD platinum PVD total black PVD brushed total black PVD copper PVD brushed copper PVD	350 440 580 580 580 580 580 580 580	

VELOCE	CODICE		€	
	PORTA ROTOLO DOPPIO Double toilet-paper holder. Disponibile da Marzo / Available from March	ZAF231	cromo - chrome	330
		ZAF231.C3	brushed nickel	415
		ZAF231.P30	british gold PVD	545
		ZAF231.P31	brushed british gold PVD	545
		ZAF231.P60	platinum PVD	545
		ZAF231.P80	total black PVD	545
		ZAF231.P81	brushed total black PVD	545
		ZAF231.P90	copper PVD	545
		ZAF231.P91	brushed copper PVD	545
				
	PORTA ROTOLO DOPPIO Con mensola. Double toilet-paper holder, with shelf. Disponibile da Marzo / Available from March	ZAF233	cromo - chrome	390
		ZAF233.C3	brushed nickel	490
		ZAF233.P30	british gold PVD	645
		ZAF233.P31	brushed british gold PVD	645
		ZAF233.P60	platinum PVD	645
		ZAF233.P80	total black PVD	645
		ZAF233.P81	brushed total black PVD	645
		ZAF233.P90	copper PVD	645
		ZAF233.P91	brushed copper PVD	645
				
	MANIGLIA DOPPIA PER BOX DOCCIA Per porta doccia in cristallo. Lunghezza 45 cm. Double handle for crystal shower box door. Length 45 cm Disponibile da Marzo / Available from March	ZAF225	cromo - chrome	650
		ZAF225.C3	brushed nickel	815
		ZAF225.P30	british gold PVD	1.075
		ZAF225.P31	brushed british gold PVD	1.075
		ZAF225.P60	platinum PVD	1.075
		ZAF225.P80	total black PVD	1.075
		ZAF225.P81	brushed total black PVD	1.075
		ZAF225.P90	copper PVD	1.075
		ZAF225.P91	brushed copper PVD	1.075
				
	MANIGLIA PER BOX DOCCIA Per porta doccia in cristallo con pomello interno apriporta. Lunghezza 45 cm. Handle for crystal shower box door with internal door knob. Length 45 cm Disponibile da Marzo / Available from March	ZAF226	cromo - chrome	450
		ZAF226.C3	brushed nickel	565
		ZAF226.P30	british gold PVD	745
		ZAF226.P31	brushed british gold PVD	745
		ZAF226.P60	platinum PVD	745
		ZAF226.P80	total black PVD	745
		ZAF226.P81	brushed total black PVD	745
		ZAF226.P90	copper PVD	745
		ZAF226.P91	brushed copper PVD	745
				
	PORTA SCOPINO WC brush set, free standing.	ZAD555	cromo - chrome	195
		ZAD555.C3	brushed nickel	240
		ZAD555.P30	british gold PVD	325
		ZAD555.P31	brushed british gold PVD	325
		ZAD555.P60	platinum PVD	325
		ZAD555.P80	total black PVD	325
		ZAD555.P81	brushed total black PVD	325
		ZAD555.P90	copper PVD	325
		ZAD555.P91	brushed copper PVD	325
				
	PORTA SCOPINO A muro. WC brush set, wall mounted.	ZAD556	cromo - chrome	255
		ZAD556.C3	brushed nickel	325
		ZAD556.P30	british gold PVD	420
		ZAD556.P31	brushed british gold PVD	420
		ZAD556.P60	platinum PVD	420
		ZAD556.P80	total black PVD	420
		ZAD556.P81	brushed total black PVD	420
		ZAD556.P90	copper PVD	420
		ZAD556.P91	brushed copper PVD	420
				

BAR 59

Design **Matteo Fiorini** con **Studio Lys**



CONFIGURA IL TUO BAR 59
SET UP YOUR BAR 59

TUTTI I SOFFIONI IN ACCIAIO INOX SPAZZOLATO - FINITURA .X - POSSONO ESSERE ABBINATI ALLA RUBINETTERIA IN FINITURA NICKEL SPAZZOLATO .C3
ALL SHOWER HEADS IN BRUSHED STAINLESS STEEL - FINISH .X - CAN BE COMBINED WITH THE TAPS IN BRUSHED NICKEL FINISH .C3.

ABACUS BAR 59

BAR 59 è il sistema doccia componibile in acciaio inox AISI 316L che comprende soffioni Ø 90 mm o 50 mm e piastre in varie conformazioni, che possono ospitare da 1 a 5 elementi. Disponibile in tutte le finiture a catalogo.





SOFFIONI

Gli elementi soffione sono disponibili in 2 diametri: 50 mm o 90 mm, e con 5 tipologie di getti: getto a pioggia efficace e distensivo, getto nebulizzato delicato e rilassante, getto crystal limpido e riposante, getto a lama intenso e tonificante, getto energizzante massaggiante e stimolante.

BAR 59 is a modular shower system made of AISI 316L stainless steel, featuring 90 mm or 50 mm shower heads and plates in various configurations, which can accommodate from 1 to 5 shower elements. It is available in all finishes on Zucchetti's catalogue.

SHOWER HEADS

The shower head elements come in two diameters—50 mm and 90 mm—and five jet types: an effective and relaxing rain jet, a gentle and soothing atomizing jet, a clear and calming crystal jet, an intense and invigorating blade jet, and a stimulating and massaging energizing jet.

50				90			
Ø 50mm				Ø 90mm			
							
Z95249	Z95247	Z95248	Z95246	Z95242	Z95240	Z95241	Z95243
50A	50B	50C	50D	90A	90B	90C	90D



Getto Pioggia
Rain Jet

50A
Z95249



Getto Nebulizzato
Atomizing Jet

50B
Z95247



Getto Crystal
Crystal Jet

50C
Z95248



Getto energizzante
Energizing jet

50D
Z95246



Getto Pioggia
Rain Jet

90A
Z95242



Getto Nebulizzato
Atomizing Jet

90B
Z95240



Getto Crystal
Crystal Jet

90C
Z95241



Getto Lama
Blade Jet

90D
Z95243


ABACUS BAR 59

PROLUNGHE

Le prolunghe permettono di modulare la distanza del soffione dalla piastra a soffitto. Sono disponibili 2 prolunghe (L. 100 e 250 mm) per gli elementi Ø 50 mm e 1 prolunga (L. 120 mm) per quelli Ø 90 mm.

EXTENSIONS

Extensions allow you to adjust the distance between the shower head and the ceiling plate. Two extensions (L. 100 and 250 mm) are available for Ø 50 mm elements, and one extension (L. 120 mm) for Ø 90 mm elements.




PIASTRE

Le piastre sono gli elementi piani che permettono di combinare e dare ordine alla composizione dei soffioni e comprendono il kit di installazione. Sono disponibili 5 versioni per i soffioni Ø 50 mm e 4 per quelli Ø 90 mm, cui si aggiungono 2 piastre che permettono l'inserimento di entrambe le misure di soffioni.

PLATES

The plates are flat components that allow you to combine and organize the shower heads' layout. They include the installation kit. Five versions are available for the Ø 50 mm shower heads and four for the Ø 90 mm ones, plus two plates that can host both shower head sizes.

- * Solo per i soffioni Ø 50mm per installazione da parete
- * Only for Ø 50mm shower heads for wall installation




DOCCETTA A 2 GETTI

Una doccetta essenziale, con getto a pioggia e getto massaggiante; la rotazione della testa permette di passare facilmente da un getto all'altro.

2-JET HANDSHOWER

An essential handshower featuring a rain jet and a massage jet; rotating the head allows you to switch easily from one jet to the other.




Z95250

ESEMPI DI COMPOSIZIONI CON ELEMENTI SINGOLI

EXAMPLES OF COMPOSITIONS WITH SINGLE ELEMENTS

L'installazione di un elemento soffione singolo deve sempre prevedere una piastra, la prolunga è opzionale

The installation of a single shower head must always include a plate; the extension is optional.











ESEMPI DI COMPOSIZIONI CON PIASTRE A PIÙ SOFFIONI

EXAMPLES OF COMPOSITIONS WITH MULTI-SHOWER HEAD PLATES

La scelta di piastre con più soffioni può prevedere la combinazione di soffioni con getti diversi.
I soffioni con getto crystal o a lama devono essere alimentati da una uscita acqua dedicata, comandata da un rubinetto.
Per i soffioni con getti pioggia, nebulizzato o energizzante un unico rubinetto può alimentare anche più di un soffione.

Choosing plates with multiple shower heads allows for combining different jet types.
Shower heads with crystal or blade jets must be supplied by a dedicated water outlet controlled by its own tap.
For rain, atomizing, or energizing jets, a single tap can supply multiple shower heads.

	50A 50A		50A 50C 50A
	90A 90D		90A 90D 90B
	50C 50D 90A		50A 50A 50D 50B
	50A 50A 90D 50B 50B		90A 90B 90D 90C




SOFFIONE Ø 50
Soffione doccia in acciaio inox,
getto energizzante,
con sistema anticalcare.
Installabile solo in abbinamento
con le piastre della collezione.
È possibile collegare fino a 4 elementi
Z95246 alla stessa uscita acqua,
alimentata da un unico rubinetto.
Ø 50 mm stainless steel shower head,
energizing jet, with anti-limescale
system.
To be installed only in combination
with the plates from the collection.
You may connect up to 4 Z95246
to the same single water outlet,
fed by a single tap.

Portata minima richiesta / Minimum
flowrate requested 5 lt/min.

Vedi scheda tecnica per suggerimenti
composizioni ottimali / See technical sheet
for suggestions on optimal compositions.



Z95246	cromo - chrome	160
Z95246.C8	nickel	200
Z95246.C40	gold	305
Z95246.C41	brushed gold	305
Z95246.C50	metal black	225
Z95246.C51	brushed metal black	225
Z95246.P30	british gold PVD	265
Z95246.P60	platinum PVD	265
Z95246.P80	total black PVD	265
Z95246.P90	copper PVD	265
Z95246.J3	glossy gesso	210
Z95246.K7	pearl cipria	210
Z95246.N6	nero opaco - matt black	210
Z95246.R6	pearl chili	210
Z95246.V7	pearl salvia	210
Z95246.V8	matt mirto	210
Z95246.X	brushed stainless steel	160
Z95246.XP21	brushed chocolate PVD	265
Z95246.XP31	brushed british gold PVD	265
Z95246.XP41	brushed gold PVD	265
Z95246.XP81	brushed total black PVD	265
Z95246.XP91	brushed copper PVD	265
Z95246.XS	matt stainless steel	175
Z95246.XSP21	matt chocolate PVD	290
Z95246.XSP31	matt british gold PVD	290
Z95246.XSP41	matt gold PVD	290
Z95246.XSP81	matt total black PVD	290
Z95246.XSP91	matt copper PVD	290




SOFFIONE Ø 50
Soffione doccia in acciaio inox,
getto nebulizzato,
con sistema anticalcare.
Installabile solo in abbinamento
con le piastre della collezione.
È possibile collegare fino a 4 elementi
Z95247 alla stessa uscita acqua,
alimentata da un unico rubinetto.
Ø 50 mm stainless steel shower head,
atomizing jet, with anti-limescale
system.
To be installed only in combination
with the plates from the collection.
You may connect up to 4 Z95247
to the same single water outlet,
fed by a single tap.

Portata minima richiesta / Minimum
flowrate requested 0,1 lt/min.

Vedi scheda tecnica per suggerimenti
composizioni ottimali / See technical sheet
for suggestions on optimal compositions.



Z95247	cromo - chrome	160
Z95247.C8	nickel	200
Z95247.C40	gold	305
Z95247.C41	brushed gold	305
Z95247.C50	metal black	225
Z95247.C51	brushed metal black	225
Z95247.P30	british gold PVD	265
Z95247.P60	platinum PVD	265
Z95247.P80	total black PVD	265
Z95247.P90	copper PVD	265
Z95247.J3	glossy gesso	210
Z95247.K7	pearl cipria	210
Z95247.N6	nero opaco - matt black	210
Z95247.R6	pearl chili	210
Z95247.V7	pearl salvia	210
Z95247.V8	matt mirto	210
Z95247.X	brushed stainless steel	160
Z95247.XP21	brushed chocolate PVD	265
Z95247.XP31	brushed british gold PVD	265
Z95247.XP41	brushed gold PVD	265
Z95247.XP81	brushed total black PVD	265
Z95247.XP91	brushed copper PVD	265
Z95247.XS	matt stainless steel	175
Z95247.XSP21	matt chocolate PVD	290
Z95247.XSP31	matt british gold PVD	290
Z95247.XSP41	matt gold PVD	290
Z95247.XSP81	matt total black PVD	290
Z95247.XSP91	matt copper PVD	290







SOFFIONE Ø 50
Soffione doccia in acciaio inox,
getto crystal, con sistema anticalcare.
Installabile solo in abbinamento
con le piastre della collezione.
Da alimentare con uscita acqua
dedicata, alimentata da un rubinetto.
Ø 50 mm stainless steel shower head,
crystal jet, with anti-limescale system.
To be installed only in combination
with the plates from the collection.
To connect to a dedicated single
water outlet fed by a single tap.

Portata minima richiesta / Minimum
flowrate requested 14 lt/min.

Vedi scheda tecnica per suggerimenti
composizioni ottimali / See technical sheet
for suggestions on optimal compositions.

Z95248	cromo - chrome	160
Z95248.C8	nickel	200
Z95248.C40	gold	305
Z95248.C41	brushed gold	305
Z95248.C50	metal black	225
Z95248.C51	brushed metal black	225
Z95248.P30	british gold PVD	265
Z95248.P60	platinum PVD	265
Z95248.P80	total black PVD	265
Z95248.P90	copper PVD	265
Z95248.J3	glossy gesso	210
Z95248.K7	pearl cipria	210
Z95248.N6	nero opaco - matt black	210
Z95248.R6	pearl chili	210
Z95248.V7	pearl salvia	210
Z95248.V8	matt mirto	210
Z95248.X	brushed stainless steel	160
Z95248.XP21	brushed chocolate PVD	265
Z95248.XP31	brushed british gold PVD	265
Z95248.XP41	brushed gold PVD	265
Z95248.XP81	brushed total black PVD	265
Z95248.XP91	brushed copper PVD	265
Z95248.XS	matt stainless steel	175
Z95248.XSP21	matt chocolate PVD	290
Z95248.XSP31	matt british gold PVD	290
Z95248.XSP41	matt gold PVD	290
Z95248.XSP81	matt total black PVD	290
Z95248.XSP91	matt copper PVD	290




SOFFIONE Ø 50
Soffione doccia in acciaio inox,
getto a pioggia, con sistema
anticalcare.
Installabile solo in abbinamento
con le piastre della collezione.
È possibile collegare fino a 3 elementi
Z95249 alla stessa uscita acqua,
alimentata da un unico rubinetto.
Ø 50 mm stainless steel shower head,
rain jet, with anti-limescale system.
To be installed only in combination
with the plates from the collection.
You may connect up to 3 Z95249
to the same single water outlet,
fed by a single tap.

Portata minima richiesta / Minimum
flowrate requested 6 lt/min.

Vedi scheda tecnica per suggerimenti
composizioni ottimali / See technical sheet
for suggestions on optimal compositions.


Z95249	cromo - chrome	160
Z95249.C8	nickel	200
Z95249.C40	gold	305
Z95249.C41	brushed gold	305
Z95249.C50	metal black	225
Z95249.C51	brushed metal black	225
Z95249.P30	british gold PVD	265
Z95249.P60	platinum PVD	265
Z95249.P80	total black PVD	265
Z95249.P90	copper PVD	265
Z95249.J3	glossy gesso	210
Z95249.K7	pearl cipria	210
Z95249.N6	nero opaco - matt black	210
Z95249.R6	pearl chili	210
Z95249.V7	pearl salvia	210
Z95249.V8	matt mirto	210
Z95249.X	brushed stainless steel	160
Z95249.XP21	brushed chocolate PVD	265
Z95249.XP31	brushed british gold PVD	265
Z95249.XP41	brushed gold PVD	265
Z95249.XP81	brushed total black PVD	265
Z95249.XP91	brushed copper PVD	265
Z95249.XS	matt stainless steel	175
Z95249.XSP21	matt chocolate PVD	290
Z95249.XSP31	matt british gold PVD	290
Z95249.XSP41	matt gold PVD	290
Z95249.XSP81	matt total black PVD	290
Z95249.XSP91	matt copper PVD	290





PROLUNGA
In acciaio inox, per soffione Ø 50 mm.
Lunghezza 100 mm.
Stainless steel extension for Ø 50 mm
shower head.
Length 100 mm.

Z95261	cromo - chrome	180
Z95261.C8	nickel	225
Z95261.C40	gold	340
Z95261.C41	brushed gold	340
Z95261.C50	metal black	250
Z95261.C51	brushed metal black	250
Z95261.P30	british gold PVD	290
Z95261.P60	platinum PVD	290
Z95261.P80	total black PVD	290
Z95261.P90	copper PVD	290
Z95261.J3	glossy gesso	235
Z95261.K7	pearl cipria	235
Z95261.N6	nero opaco - matt black	235
Z95261.R6	pearl chili	235
Z95261.V7	pearl salvia	235
Z95261.V8	matt mirto	235
Z95261.X	brushed stainless steel	180
Z95261.XP21	brushed chocolate PVD	295
Z95261.XP31	brushed british gold PVD	295
Z95261.XP41	brushed gold PVD	295
Z95261.XP81	brushed total black PVD	295
Z95261.XP91	brushed copper PVD	295
Z95261.XS	matt stainless steel	200
Z95261.XSP21	matt chocolate PVD	330
Z95261.XSP31	matt british gold PVD	330
Z95261.XSP41	matt gold PVD	330
Z95261.XSP81	matt total black PVD	330
Z95261.XSP91	matt copper PVD	330




316L



PROLUNGA
In acciaio inox, per soffione Ø 50 mm.
Lunghezza 250 mm.
Stainless steel extension for Ø 50 mm
shower head.
Length 250 mm.

Z95260	cromo - chrome	220
Z95260.C8	nickel	275
Z95260.C40	gold	420
Z95260.C41	brushed gold	420
Z95260.C50	metal black	310
Z95260.C51	brushed metal black	310
Z95260.P30	british gold PVD	365
Z95260.P60	platinum PVD	365
Z95260.P80	total black PVD	365
Z95260.P90	copper PVD	365
Z95260.J3	glossy gesso	285
Z95260.K7	pearl cipria	285
Z95260.N6	nero opaco - matt black	285
Z95260.R6	pearl chili	285
Z95260.V7	pearl salvia	285
Z95260.V8	matt mirto	285
Z95260.X	brushed stainless steel	220
Z95260.XP21	brushed chocolate PVD	365
Z95260.XP31	brushed british gold PVD	365
Z95260.XP41	brushed gold PVD	365
Z95260.XP81	brushed total black PVD	365
Z95260.XP91	brushed copper PVD	365
Z95260.XS	matt stainless steel	240
Z95260.XSP21	matt chocolate PVD	395
Z95260.XSP31	matt british gold PVD	395
Z95260.XSP41	matt gold PVD	395
Z95260.XSP81	matt total black PVD	395
Z95260.XSP91	matt copper PVD	395




316L



PIASTRA 65X65
In acciaio inox, 1 foro, per installazione
soffione Ø 50 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni: 65X65 mm,
spessore 3 mm.
Stainless steel plate, 1 hole,
for Ø 50 mm shower head installation.
Plasterboard installation kit included.
Dimensions: 65X65 mm,
3 mm thickness.

Z95245	cromo - chrome	130
Z95245.C8	nickel	165
Z95245.C40	gold	245
Z95245.C41	brushed gold	245
Z95245.C50	metal black	180
Z95245.C51	brushed metal black	180
Z95245.P30	british gold PVD	215
Z95245.P60	platinum PVD	215
Z95245.P80	total black PVD	215
Z95245.P90	copper PVD	215
Z95245.J3	glossy gesso	170
Z95245.K7	pearl cipria	170
Z95245.N6	nero opaco - matt black	170
Z95245.R6	pearl chili	170
Z95245.V7	pearl salvia	170
Z95245.V8	matt mirto	170
Z95245.X	brushed stainless steel	130
Z95245.XP21	brushed chocolate PVD	215
Z95245.XP31	brushed british gold PVD	215
Z95245.XP41	brushed gold PVD	215
Z95245.XP81	brushed total black PVD	215
Z95245.XP91	brushed copper PVD	215
Z95245.XS	matt stainless steel	145
Z95245.XSP21	matt chocolate PVD	240
Z95245.XSP31	matt british gold PVD	240
Z95245.XSP41	matt gold PVD	240
Z95245.XSP81	matt total black PVD	240
Z95245.XSP91	matt copper PVD	240




316L



PIASTRA 130X65
In acciaio inox, 2 fori, per installazione
soffioni Ø 50 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni: 130X65 mm,
spessore 3 mm.
Stainless steel plate, 2 hole,
for Ø 50 mm shower heads installation.
Plasterboard installation kit included.
Dimensions: 130X65 mm,
3 mm thickness.

Z95251	cromo - chrome	160
Z95251.C8	nickel	200
Z95251.C40	gold	305
Z95251.C41	brushed gold	305
Z95251.C50	metal black	225
Z95251.C51	brushed metal black	225
Z95251.P30	british gold PVD	265
Z95251.P60	platinum PVD	265
Z95251.P80	total black PVD	265
Z95251.P90	copper PVD	265
Z95251.J3	glossy gesso	210
Z95251.K7	pearl cipria	210
Z95251.N6	nero opaco - matt black	210
Z95251.R6	pearl chili	210
Z95251.V7	pearl salvia	210
Z95251.V8	matt mirto	210
Z95251.X	brushed stainless steel	160
Z95251.XP21	brushed chocolate PVD	265
Z95251.XP31	brushed british gold PVD	265
Z95251.XP41	brushed gold PVD	265
Z95251.XP81	brushed total black PVD	265
Z95251.XP91	brushed copper PVD	265
Z95251.XS	matt stainless steel	175
Z95251.XSP21	matt chocolate PVD	290
Z95251.XSP31	matt british gold PVD	290
Z95251.XSP41	matt gold PVD	290
Z95251.XSP81	matt total black PVD	290
Z95251.XSP91	matt copper PVD	290




316L




PIASTRA 195X65
In acciaio inox, 3 fori, per installazione
soffioni Ø 50 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni: 195X65 mm,
spessore 3 mm.
Stainless steel plate, 3 hole,
for Ø 50 mm shower heads installation.
Plasterboard installation kit included.
Dimensions: 195X65 mm,
3 mm thickness.

Z95252	cromo - chrome	180
Z95252.C8	nickel	225
Z95252.C40	gold	340
Z95252.C41	brushed gold	340
Z95252.C50	metal black	250
Z95252.C51	brushed metal black	250
Z95252.P30	british gold PVD	295
Z95252.P60	platinum PVD	295
Z95252.P80	total black PVD	295
Z95252.P90	copper PVD	295
Z95252.J3	glossy gesso	235
Z95252.K7	pearl cipria	235
Z95252.N6	nero opaco - matt black	235
Z95252.R6	pearl chili	235
Z95252.V7	pearl salvia	235
Z95252.V8	matt mirto	235
Z95252.X	brushed stainless steel	180
Z95252.XP21	brushed chocolate PVD	295
Z95252.XP31	brushed british gold PVD	295
Z95252.XP41	brushed gold PVD	295
Z95252.XP81	brushed total black PVD	295
Z95252.XP91	brushed copper PVD	295
Z95252.XS	matt stainless steel	200
Z95252.XSP21	matt chocolate PVD	330
Z95252.XSP31	matt british gold PVD	330
Z95252.XSP41	matt gold PVD	330
Z95252.XSP81	matt total black PVD	330
Z95252.XSP91	matt copper PVD	330



PIASTRA 130X130
In acciaio inox, 4 fori, per installazione
soffioni Ø 50 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni: 130X130 mm,
spessore 3 mm.
Stainless steel plate, 4 hole,
for Ø 50 mm shower heads installation.
Plasterboard installation kit included.
Dimensions: 130X130 mm,
3 mm thickness.

Z95253	cromo - chrome	280
Z95253.C8	nickel	350
Z95253.C40	gold	530
Z95253.C41	brushed gold	530
Z95253.C50	metal black	390
Z95253.C51	brushed metal black	390
Z95253.P30	british gold PVD	450
Z95253.P60	platinum PVD	450
Z95253.P80	total black PVD	450
Z95253.P90	copper PVD	450
Z95253.J3	glossy gesso	365
Z95253.K7	pearl cipria	365
Z95253.N6	nero opaco - matt black	365
Z95253.R6	pearl chili	365
Z95253.V7	pearl salvia	365
Z95253.V8	matt mirto	365
Z95253.X	brushed stainless steel	280
Z95253.XP21	brushed chocolate PVD	460
Z95253.XP31	brushed british gold PVD	460
Z95253.XP41	brushed gold PVD	460
Z95253.XP81	brushed total black PVD	460
Z95253.XP91	brushed copper PVD	460
Z95253.XS	matt stainless steel	310
Z95253.XSP21	matt chocolate PVD	510
Z95253.XSP31	matt british gold PVD	510
Z95253.XSP41	matt gold PVD	510
Z95253.XSP81	matt total black PVD	510
Z95253.XSP91	matt copper PVD	510






PIASTRA Ø 60
Piastra in acciaio inox ,
1 foro, per installazione a parete
soffione Ø 50 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni: Ø 60 mm, spessore 3 mm.
Stainless steel plate, 1 hole, for
Ø 50 mm shower head wall installation.
Plasterboard installation kit included.
Dimensions: Ø 60 mm,
3 mm thickness.

316L

Z95268	cromo - chrome	150
Z95268.C8	nickel	190
Z95268.C40	gold	285
Z95268.C41	brushed gold	285
Z95268.C50	metal black	210
Z95268.C51	brushed metal black	210
Z95268.P30	british gold PVD	250
Z95268.P60	platinum PVD	250
Z95268.P80	total black PVD	250
Z95268.P90	copper PVD	250
Z95268.J3	glossy gesso	195
Z95268.K7	pearl cipria	195
Z95268.N6	nero opaco - matt black	195
Z95268.R6	pearl chili	195
Z95268.V7	pearl salvia	195
Z95268.V8	matt mirto	195
Z95268.X	brushed stainless steel	150
Z95268.XP21	brushed chocolate PVD	250
Z95268.XP31	brushed british gold PVD	250
Z95268.XP41	brushed gold PVD	250
Z95268.XP81	brushed total black PVD	250
Z95268.XP91	brushed copper PVD	250
Z95268.XS	matt stainless steel	165
Z95268.XSP21	matt chocolate PVD	275
Z95268.XSP31	matt british gold PVD	275
Z95268.XSP41	matt gold PVD	275
Z95268.XSP81	matt total black PVD	275
Z95268.XSP91	matt copper PVD	275






SOFFIONE Ø 90
Soffione in acciaio inox,
getti nebulizzati,
con sistema anticalcare.
Installabile solo in abbinamento
con le piastre della collezione.
È possibile collegare fino a 4 elementi
Z95240 alla stessa uscita acqua,
alimentata da un unico rubinetto.
Ø 90 mm stainless steel shower head,
atomizing jets,
with anti-limescale system.
To be installed only in combination
with the plates from the collection.
You may connect up to 4 Z95240
to the same single water outlet,
fed by a single tap.

Portata minima richiesta / Minimum
flowrate requested 0,5 lt/min.

Vedi scheda tecnica per suggerimenti
composizioni ottimali / See technical sheet
for suggestions on optimal compositions.




Z95240	cromo - chrome	260
Z95240.C8	nickel	325
Z95240.C40	gold	495
Z95240.C41	brushed gold	495
Z95240.C50	metal black	365
Z95240.C51	brushed metal black	365
Z95240.P30	british gold PVD	430
Z95240.P60	platinum PVD	430
Z95240.P80	total black PVD	430
Z95240.P90	copper PVD	430
Z95240.J3	glossy gesso	340
Z95240.K7	pearl cipria	340
Z95240.N6	nero opaco - matt black	340
Z95240.R6	pearl chili	340
Z95240.V7	pearl salvia	340
Z95240.V8	matt mirto	340
Z95240.X	brushed stainless steel	260
Z95240.XP21	brushed chocolate PVD	430
Z95240.XP31	brushed british gold PVD	430
Z95240.XP41	brushed gold PVD	430
Z95240.XP81	brushed total black PVD	430
Z95240.XP91	brushed copper PVD	430
Z95240.XS	matt stainless steel	285
Z95240.XSP21	matt chocolate PVD	475
Z95240.XSP31	matt british gold PVD	475
Z95240.XSP41	matt gold PVD	475
Z95240.XSP81	matt total black PVD	475
Z95240.XSP91	matt copper PVD	475




SOFFIONE Ø 90
Soffione doccia in acciaio inox,
getto crystal,
con sistema anticalcare.
Installabile solo in abbinamento
con le piastre della collezione.
Da alimentare con uscita acqua
dedicata, alimentata da un rubinetto.
Ø 90 mm stainless steel shower head,
crystal jet, with anti-limescale system.
To be installed only in combination
with the plates from the collection.
To connect to a dedicated single
water outlet fed by a single tap.

Portata minima richiesta / Minimum
flowrate requested 14 lt/min.

Vedi scheda tecnica per suggerimenti
composizioni ottimali / See technical sheet
for suggestions on optimal compositions.



Z95241	cromo - chrome	260
Z95241.C8	nickel	325
Z95241.C40	gold	495
Z95241.C41	brushed gold	495
Z95241.C50	metal black	365
Z95241.C51	brushed metal black	365
Z95241.P30	british gold PVD	430
Z95241.P60	platinum PVD	430
Z95241.P80	total black PVD	430
Z95241.P90	copper PVD	430
Z95241.J3	glossy gesso	340
Z95241.K7	pearl cipria	340
Z95241.N6	nero opaco - matt black	340
Z95241.R6	pearl chili	340
Z95241.V7	pearl salvia	340
Z95241.V8	matt mirto	340
Z95241.X	brushed stainless steel	260
Z95241.XP21	brushed chocolate PVD	430
Z95241.XP31	brushed british gold PVD	430
Z95241.XP41	brushed gold PVD	430
Z95241.XP81	brushed total black PVD	430
Z95241.XP91	brushed copper PVD	430
Z95241.XS	matt stainless steel	285
Z95241.XSP21	matt chocolate PVD	475
Z95241.XSP31	matt british gold PVD	475
Z95241.XSP41	matt gold PVD	475
Z95241.XSP81	matt total black PVD	475
Z95241.XSP91	matt copper PVD	475







SOFFIONE Ø 90
Soffione doccia in acciaio inox,
getti a pioggia,
con sistema anticalcare.
Installabile solo in abbinamento
con le piastre della collezione.
È possibile collegare fino a 2 elementi
Z95242 alla stessa uscita acqua,
alimentata da un unico rubinetto.
Ø 90 mm stainless steel shower head,
rain jet, with anti-limescale system.
To be installed only in combination
with the plates from the collection.
You may connect up to 4 Z95242
to the same single water outlet,
fed by a single tap.

Portata minima richiesta / Minimum
flowrate requested 12 lt/min.

Vedi scheda tecnica per suggerimenti
composizioni ottimali / See technical sheet
for suggestions on optimal compositions.




Z95242	cromo - chrome	260
Z95242.C8	nickel	325
Z95242.C40	gold	495
Z95242.C41	brushed gold	495
Z95242.C50	metal black	365
Z95242.C51	brushed metal black	365
Z95242.P30	british gold PVD	430
Z95242.P60	platinum PVD	430
Z95242.P80	total black PVD	430
Z95242.P90	copper PVD	430
Z95242.J3	glossy gesso	340
Z95242.K7	pearl cipria	340
Z95242.N6	nero opaco - matt black	340
Z95242.R6	pearl chili	340
Z95242.V7	pearl salvia	340
Z95242.V8	matt mirto	340
Z95242.X	brushed stainless steel	260
Z95242.XP21	brushed chocolate PVD	430
Z95242.XP31	brushed british gold PVD	430
Z95242.XP41	brushed gold PVD	430
Z95242.XP81	brushed total black PVD	430
Z95242.XP91	brushed copper PVD	430
Z95242.XS	matt stainless steel	285
Z95242.XSP21	matt chocolate PVD	475
Z95242.XSP31	matt british gold PVD	475
Z95242.XSP41	matt gold PVD	475
Z95242.XSP81	matt total black PVD	475
Z95242.XSP91	matt copper PVD	475




SOFFIONE Ø 90
Soffione doccia in acciaio inox,
getto a lama.
Installabile solo in abbinamento
con le piastre della collezione.
Da alimentare con uscita acqua
dedicata, alimentata da un rubinetto.
Ø 90 mm stainless steel shower head,
blade jet.
To be installed only in combination
with the plates from the collection.
To be actioned by any mixer/valve.
To connect to a dedicated single
water outlet fed by a single tap.

Portata minima richiesta / Minimum
flowrate requested 14 lt/min.

Vedi scheda tecnica per suggerimenti
composizioni ottimali / See technical sheet
for suggestions on optimal compositions.




Z95243	cromo - chrome	260
Z95243.C8	nickel	325
Z95243.C40	gold	495
Z95243.C41	brushed gold	495
Z95243.C50	metal black	365
Z95243.C51	brushed metal black	365
Z95243.P30	british gold PVD	430
Z95243.P60	platinum PVD	430
Z95243.P80	total black PVD	430
Z95243.P90	copper PVD	430
Z95243.J3	glossy gesso	340
Z95243.K7	pearl cipria	340
Z95243.N6	nero opaco - matt black	340
Z95243.R6	pearl chili	340
Z95243.V7	pearl salvia	340
Z95243.V8	matt mirto	340
Z95243.X	brushed stainless steel	260
Z95243.XP21	brushed chocolate PVD	430
Z95243.XP31	brushed british gold PVD	430
Z95243.XP41	brushed gold PVD	430
Z95243.XP81	brushed total black PVD	430
Z95243.XP91	brushed copper PVD	430
Z95243.XS	matt stainless steel	285
Z95243.XSP21	matt chocolate PVD	475
Z95243.XSP31	matt british gold PVD	475
Z95243.XSP41	matt gold PVD	475
Z95243.XSP81	matt total black PVD	475
Z95243.XSP91	matt copper PVD	475





PROLUNGA
In acciaio inox, per soffione Ø 90 mm.
Lunghezza 120 mm.
Stainless steel extension for Ø 90 mm shower head.
Length 120 mm.

Z95262	cromo - chrome	190
Z95262.C8	nickel	240
Z95262.C40	gold	360
Z95262.C41	brushed gold	360
Z95262.C50	metal black	265
Z95262.C51	brushed metal black	265
Z95262.P30	british gold PVD	315
Z95262.P60	platinum PVD	315
Z95262.P80	total black PVD	315
Z95262.P90	copper PVD	315
Z95262.J3	glossy gesso	245
Z95262.K7	pearl cipria	245
Z95262.N6	nero opaco - matt black	245
Z95262.R6	pearl chili	245
Z95262.V7	pearl salvia	245
Z95262.V8	matt mirto	245
Z95262.X	brushed stainless steel	190
Z95262.XP21	brushed chocolate PVD	315
Z95262.XP31	brushed british gold PVD	315
Z95262.XP41	brushed gold PVD	315
Z95262.XP81	brushed total black PVD	315
Z95262.XP91	brushed copper PVD	315
Z95262.XS	matt stainless steel	210
Z95262.XSP21	matt chocolate PVD	345
Z95262.XSP31	matt british gold PVD	345
Z95262.XSP41	matt gold PVD	345
Z95262.XSP81	matt total black PVD	345
Z95262.XSP91	matt copper PVD	345




316L



PIASTRA 110X110
In acciaio inox, 1 foro, per installazione
soffioni Ø 90 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni 110X110 mm,
spessore 3 mm.
Stainless steel plate, 1 hole,
for Ø 90 mm shower heads installation.
Plasterboard installation kit included.
Dimensions: 110X110 mm,
3 mm thickness.

Z95256	cromo - chrome	160
Z95256.C8	nickel	200
Z95256.C40	gold	305
Z95256.C41	brushed gold	305
Z95256.C50	metal black	225
Z95256.C51	brushed metal black	225
Z95256.P30	british gold PVD	265
Z95256.P60	platinum PVD	265
Z95256.P80	total black PVD	265
Z95256.P90	copper PVD	265
Z95256.J3	glossy gesso	210
Z95256.K7	pearl cipria	210
Z95256.N6	nero opaco - matt black	210
Z95256.R6	pearl chili	210
Z95256.V7	pearl salvia	210
Z95256.V8	matt mirto	210
Z95256.X	brushed stainless steel	160
Z95256.XP21	brushed chocolate PVD	265
Z95256.XP31	brushed british gold PVD	265
Z95256.XP41	brushed gold PVD	265
Z95256.XP81	brushed total black PVD	265
Z95256.XP91	brushed copper PVD	265
Z95256.XS	matt stainless steel	175
Z95256.XSP21	matt chocolate PVD	290
Z95256.XSP31	matt british gold PVD	290
Z95256.XSP41	matt gold PVD	290
Z95256.XSP81	matt total black PVD	290
Z95256.XSP91	matt copper PVD	290




316L



PIASTRA 220X110
In acciaio inox, 2 fori, per installazione
soffioni Ø 90 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni 220X110 mm,
spessore 3 mm.
Stainless steel plate, 2 hole,
for Ø 90 mm shower heads installation.
Plasterboard installation kit included.
Dimensions: 220X110 mm,
3 mm thickness.

Z95257	cromo - chrome	200
Z95257.C8	nickel	250
Z95257.C40	gold	380
Z95257.C41	brushed gold	380
Z95257.C50	metal black	280
Z95257.C51	brushed metal black	280
Z95257.P30	british gold PVD	330
Z95257.P60	platinum PVD	330
Z95257.P80	total black PVD	330
Z95257.P90	copper PVD	330
Z95257.J3	glossy gesso	260
Z95257.K7	pearl cipria	260
Z95257.N6	nero opaco - matt black	260
Z95257.R6	pearl chili	260
Z95257.V7	pearl salvia	260
Z95257.V8	matt mirto	260
Z95257.X	brushed stainless steel	200
Z95257.XP21	brushed chocolate PVD	330
Z95257.XP31	brushed british gold PVD	330
Z95257.XP41	brushed gold PVD	330
Z95257.XP81	brushed total black PVD	330
Z95257.XP91	brushed copper PVD	330
Z95257.XS	matt stainless steel	220
Z95257.XSP21	matt chocolate PVD	365
Z95257.XSP31	matt british gold PVD	365
Z95257.XSP41	matt gold PVD	365
Z95257.XSP81	matt total black PVD	365
Z95257.XSP91	matt copper PVD	365




316L



PIASTRA 330X110
In acciaio inox, 3 fori, per installazione
soffioni Ø 90 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni 330X110 mm,
spessore 3 mm.
Stainless steel plate, 3 hole,
for Ø 90 mm shower heads installation.
Plasterboard installation kit included.
Dimensions: 330X110 mm,
3 mm thickness.

Z95258	cromo - chrome	260
Z95258.C8	nickel	325
Z95258.C40	gold	495
Z95258.C41	brushed gold	495
Z95258.C50	metal black	365
Z95258.C51	brushed metal black	365
Z95258.P30	british gold PVD	430
Z95258.P60	platinum PVD	430
Z95258.P80	total black PVD	430
Z95258.P90	copper PVD	430
Z95258.J3	glossy gesso	340
Z95258.K7	pearl cipria	340
Z95258.N6	nero opaco - matt black	340
Z95258.R6	pearl chili	340
Z95258.V7	pearl salvia	340
Z95258.V8	matt mirto	340
Z95258.X	brushed stainless steel	260
Z95258.XP21	brushed chocolate PVD	430
Z95258.XP31	brushed british gold PVD	430
Z95258.XP41	brushed gold PVD	430
Z95258.XP81	brushed total black PVD	430
Z95258.XP91	brushed copper PVD	430
Z95258.XS	matt stainless steel	285
Z95258.XSP21	matt chocolate PVD	470
Z95258.XSP31	matt british gold PVD	470
Z95258.XSP41	matt gold PVD	470
Z95258.XSP81	matt total black PVD	470
Z95258.XSP91	matt copper PVD	470




316L



PIASTRA 220X220
In acciaio inox, 4 fori, per installazione
soffioni Ø 90 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni 220X220 mm,
spessore 3 mm.
Stainless steel plate, 4 hole,
for Ø 90 mm shower heads installation.
Plasterboard installation kit included.
Dimensions: 220X220 mm,
3 mm thickness.

316L


Z95259	cromo - chrome	310
Z95259.C8	nickel	390
Z95259.C40	gold	590
Z95259.C41	brushed gold	590
Z95259.C50	metal black	435
Z95259.C51	brushed metal black	435
Z95259.P30	british gold PVD	510
Z95259.P60	platinum PVD	510
Z95259.P80	total black PVD	510
Z95259.P90	copper PVD	510
Z95259.J3	glossy gesso	405
Z95259.K7	pearl cipria	405
Z95259.N6	nero opaco - matt black	405
Z95259.R6	pearl chili	405
Z95259.V7	pearl salvia	405
Z95259.V8	matt mirto	405
Z95259.X	brushed stainless steel	310
Z95259.XP21	brushed chocolate PVD	510
Z95259.XP31	brushed british gold PVD	510
Z95259.XP41	brushed gold PVD	510
Z95259.XP81	brushed total black PVD	510
Z95259.XP91	brushed copper PVD	510
Z95259.XS	matt stainless steel	340
Z95259.XSP21	matt chocolate PVD	560
Z95259.XSP31	matt british gold PVD	560
Z95259.XSP41	matt gold PVD	560
Z95259.XSP81	matt total black PVD	560
Z95259.XSP91	matt copper PVD	560



PIASTRA 200X150
In acciaio inox, 3 fori,
per installazione 2 soffioni Ø 50 mm
+ 1 soffione Ø 90 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni 200x150 mm,
spessore 3 mm.
Stainless steel plate, 3 hole,
for 2 Ø 50 mm shower heads
+ 1 Ø 90 mm shower head installation.
Plasterboard installation kit included.
Dimensions: 200x150 mm,
3 mm thickness.

316L


Z95254	cromo - chrome	260
Z95254.C8	nickel	325
Z95254.C40	gold	495
Z95254.C41	brushed gold	495
Z95254.C50	metal black	365
Z95254.C51	brushed metal black	365
Z95254.P30	british gold PVD	430
Z95254.P60	platinum PVD	430
Z95254.P80	total black PVD	430
Z95254.P90	copper PVD	430
Z95254.J3	glossy gesso	340
Z95254.K7	pearl cipria	340
Z95254.N6	nero opaco - matt black	340
Z95254.R6	pearl chili	340
Z95254.V7	pearl salvia	340
Z95254.V8	matt mirto	340
Z95254.X	brushed stainless steel	260
Z95254.XP21	brushed chocolate PVD	430
Z95254.XP31	brushed british gold PVD	430
Z95254.XP41	brushed gold PVD	430
Z95254.XP81	brushed total black PVD	430
Z95254.XP91	brushed copper PVD	430
Z95254.XS	matt stainless steel	285
Z95254.XSP21	matt chocolate PVD	470
Z95254.XSP31	matt british gold PVD	470
Z95254.XSP41	matt gold PVD	470
Z95254.XSP81	matt total black PVD	470
Z95254.XSP91	matt copper PVD	470





PIASTRA 277X150
In acciaio inox, 5 fori,
per installazione 4 soffioni Ø 50 mm
+ 1 soffione Ø 90 mm.
Completa di kit di installazione
per cartongesso.
Dimensioni 277x150 mm,
spessore 3 mm.
Stainless steel plate, 5 hole,
for 4 Ø 50 mm shower heads
+ 1 Ø 90 mm shower head installation.
Plasterboard installation kit included.
Dimensions: 277x150 mm,
3 mm thickness.

Z95255	cromo - chrome	360
Z95255.C8	nickel	450
Z95255.C40	gold	685
Z95255.C41	brushed gold	685
Z95255.C50	metal black	505
Z95255.C51	brushed metal black	505
Z95255.P30	british gold PVD	575
Z95255.P60	platinum PVD	575
Z95255.P80	total black PVD	575
Z95255.P90	copper PVD	575
Z95255.J3	glossy gesso	470
Z95255.K7	pearl cipria	470
Z95255.N6	nero opaco - matt black	470
Z95255.R6	pearl chili	470
Z95255.V7	pearl salvia	470
Z95255.V8	matt mirto	470
Z95255.X	brushed stainless steel	360
Z95255.XP21	brushed chocolate PVD	575
Z95255.XP31	brushed british gold PVD	575
Z95255.XP41	brushed gold PVD	575
Z95255.XP81	brushed total black PVD	575
Z95255.XP91	brushed copper PVD	575
Z95255.XS	matt stainless steel	395
Z95255.XSP21	matt chocolate PVD	650
Z95255.XSP31	matt british gold PVD	650
Z95255.XSP41	matt gold PVD	650
Z95255.XSP81	matt total black PVD	650
Z95255.XSP91	matt copper PVD	650




316L



BRACCIO DOCCIA
In acciaio inox a parete.
Lunghezza 150 mm.
Da abbinare con i soffioni Ø 90mm.
Stainless steel wall mounted
shower arm.
Length 150 mm. To be combined
with Ø 90 shower heads.

Z95263	cromo - chrome	240
Z95263.C8	nickel	300
Z95263.C40	gold	455
Z95263.C41	brushed gold	455
Z95263.C50	metal black	335
Z95263.C51	brushed metal black	335
Z95263.P30	british gold PVD	395
Z95263.P60	platinum PVD	395
Z95263.P80	total black PVD	395
Z95263.P90	copper PVD	395
Z95263.J3	glossy gesso	310
Z95263.K7	pearl cipria	310
Z95263.N6	nero opaco - matt black	310
Z95263.R6	pearl chili	310
Z95263.V7	pearl salvia	310
Z95263.V8	matt mirto	310
Z95263.X	brushed stainless steel	240
Z95263.XP21	brushed chocolate PVD	395
Z95263.XP31	brushed british gold PVD	395
Z95263.XP41	brushed gold PVD	395
Z95263.XP81	brushed total black PVD	395
Z95263.XP91	brushed copper PVD	395
Z95263.XS	matt stainless steel	265
Z95263.XSP21	matt chocolate PVD	435
Z95263.XSP31	matt british gold PVD	435
Z95263.XSP41	matt gold PVD	435
Z95263.XSP81	matt total black PVD	435
Z95263.XSP91	matt copper PVD	435





316L



DOCETTA
In acciaio inox, 2 getti:
pioggia ed energizzante.
Con sistema anti-calcare.
Stainless steel hand shower, 2 jets:
rain and energizing.
With anti-limescale system.

Z95250	cromo - chrome	195
Z95250.C8	nickel	245
Z95250.C40	gold	370
Z95250.C41	brushed gold	370
Z95250.C50	metal black	275
Z95250.C51	brushed metal black	275
Z95250.P30	british gold PVD	320
Z95250.P60	platinum PVD	320
Z95250.P80	total black PVD	320
Z95250.P90	copper PVD	320
Z95250.J3	glossy gesso	255
Z95250.K7	pearl cipria	255
Z95250.N6	nero opaco - matt black	255
Z95250.R6	pearl chili	255
Z95250.V7	pearl salvia	255
Z95250.V8	matt mirto	255
Z95250.X	brushed stainless steel	195
Z95250.XP21	brushed chocolate PVD	320
Z95250.XP31	brushed british gold PVD	320
Z95250.XP41	brushed gold PVD	320
Z95250.XP81	brushed total black PVD	320
Z95250.XP91	brushed copper PVD	320
Z95250.XS	matt stainless steel	215
Z95250.XSP21	matt chocolate PVD	355
Z95250.XSP31	matt british gold PVD	355
Z95250.XSP41	matt gold PVD	355
Z95250.XSP81	matt total black PVD	355
Z95250.XSP91	matt copper PVD	355



Ellissea

Design **Alberto e Francesco Meda**

DISPONIBILE DA MARZO / AVAILABLE FROM MARCH



TUTTI I SOFFIONI IN ACCIAIO INOX SPAZZOLATO - FINITURA .X - POSSONO ESSERE ABBINATI ALLA RUBINETTERIA IN FINITURA NICKEL SPAZZOLATO .C3

ALL SHOWER HEADS IN BRUSHED STAINLESS STEEL - FINISH .X - CAN BE COMBINED WITH THE TAPS IN BRUSHED NICKEL FINISH .C3.




SOFFIONE Ø 250
In acciaio inox a getto fisso con
sistema anticalcare.
Ispezionabile.
Ø 250 mm stainless steel shower
head with anti-limescale system.
Inspectionable.

Z95264	cromo - chrome	390
Z95264.C8	nickel	490
Z95264.C40	gold	740
Z95264.C41	brushed gold	740
Z95264.C50	metal black	545
Z95264.C51	brushed metal black	545
Z95264.P30	british gold PVD	645
Z95264.P60	platinum PVD	645
Z95264.P80	total black PVD	645
Z95264.P90	copper PVD	645
Z95264.J3	glossy gesso	505
Z95264.K7	pearl cipria	505
Z95264.N6	nero opaco - matt black	505
Z95264.R6	pearl chili	505
Z95264.V7	pearl salvia	505
Z95264.V8	matt mirto	505
Z95264.X	brushed stainless steel	390
Z95264.XP21	brushed chocolate PVD	645
Z95264.XP31	brushed british gold PVD	645
Z95264.XP41	brushed gold PVD	645
Z95264.XP81	brushed total black PVD	645
Z95264.XP91	brushed copper PVD	645
Z95264.XS	matt stainless steel	430
Z95264.XSP21	matt chocolate PVD	710
Z95264.XSP31	matt british gold PVD	710
Z95264.XSP41	matt gold PVD	710
Z95264.XSP81	matt total black PVD	710
Z95264.XSP91	matt copper PVD	710



SOFFIONE LATERALE Ø 80
In acciaio inox, a getto singolo per
cabine doccia, con getto orientabile
e sistema anticalcare.
Ø 80 mm stainless steel lateral
shower head, simple jet, for
shower box, with adjustable jet and
antilimescale system.

Z95265	cromo - chrome	195
Z95265.C8	nickel	245
Z95265.C40	gold	370
Z95265.C41	brushed gold	370
Z95265.C50	metal black	275
Z95265.C51	brushed metal black	275
Z95265.P30	british gold PVD	320
Z95265.P60	platinum PVD	320
Z95265.P80	total black PVD	320
Z95265.P90	copper PVD	320
Z95265.J3	glossy gesso	255
Z95265.K7	pearl cipria	255
Z95265.N6	nero opaco - matt black	255
Z95265.R6	pearl chili	255
Z95265.V7	pearl salvia	255
Z95265.V8	matt mirto	255
Z95265.X	brushed stainless steel	195
Z95265.XP21	brushed chocolate PVD	320
Z95265.XP31	brushed british gold PVD	320
Z95265.XP41	brushed gold PVD	320
Z95265.XP81	brushed total black PVD	320
Z95265.XP91	brushed copper PVD	320
Z95265.XS	matt stainless steel	215
Z95265.XSP21	matt chocolate PVD	355
Z95265.XSP31	matt british gold PVD	355
Z95265.XSP41	matt gold PVD	355
Z95265.XSP81	matt total black PVD	355
Z95265.XSP91	matt copper PVD	355






DOCGETTA
In acciaio inox a getto fisso,
con sistema anticalcare.
Stainless steel handshower, simple
jet, with anti-limescale system.




Z95266	cromo - chrome	240
Z95266.C8	nickel	300
Z95266.C40	gold	455
Z95266.C41	brushed gold	455
Z95266.C50	metal black	335
Z95266.C51	brushed metal black	335
Z95266.P30	british gold PVD	395
Z95266.P60	platinum PVD	395
Z95266.P80	total black PVD	395
Z95266.P90	copper PVD	395
Z95266.J3	glossy gesso	310
Z95266.K7	pearl cipria	310
Z95266.N6	nero opaco - matt black	310
Z95266.R6	pearl chili	310
Z95266.V7	pearl salvia	310
Z95266.V8	matt mirto	310
Z95266.X	brushed stainless steel	240
Z95266.XP21	brushed chocolate PVD	395
Z95266.XP31	brushed british gold PVD	395
Z95266.XP41	brushed gold PVD	395
Z95266.XP81	brushed total black PVD	395
Z95266.XP91	brushed copper PVD	395
Z95266.XS	matt stainless steel	265
Z95266.XSP21	matt chocolate PVD	435
Z95266.XSP31	matt british gold PVD	435
Z95266.XSP41	matt gold PVD	435
Z95266.XSP81	matt total black PVD	435
Z95266.XSP91	matt copper PVD	435



FLESSIBILE
In PVC.
Lunghezza 1500 mm.
PVC flexible hose.
Length 1500 mm.



Z94120.XR	cromo - chrome	95
-----------	----------------	----






SOFFIONE Ø 80
In acciaio inox, a getto fisso,
con sistema anticalcare.
Ø 80 mm stainless steel shower head,
with anti-limescale system.

Z95267	cromo - chrome	125
Z95267.C8	nickel	155
Z95267.C40	gold	240
Z95267.C41	brushed gold	240
Z95267.C50	metal black	175
Z95267.C51	brushed metal black	175
Z95267.P30	british gold PVD	205
Z95267.P60	platinum PVD	205
Z95267.P80	total black PVD	205
Z95267.P90	copper PVD	205
Z95267.J3	glossy gesso	165
Z95267.K7	pearl cipria	165
Z95267.N6	nero opaco - matt black	165
Z95267.R6	pearl chili	165
Z95267.V7	pearl salvia	165
Z95267.V8	matt mirto	165
Z95267.X	brushed stainless steel	125
Z95267.XP21	brushed chocolate PVD	205
Z95267.XP31	brushed british gold PVD	205
Z95267.XP41	brushed gold PVD	205
Z95267.XP81	brushed total black PVD	205
Z95267.XP91	brushed copper PVD	205
Z95267.XS	matt stainless steel	140
Z95267.XSP21	matt chocolate PVD	230
Z95267.XSP31	matt british gold PVD	230
Z95267.XSP41	matt gold PVD	230
Z95267.XSP81	matt total black PVD	230
Z95267.XSP91	matt copper PVD	230



BRACCIO DOCCIA
In acciaio inox a parete.
Lunghezza 150 mm.
Da abbinare con soffione Z95267.
Stainless steel wall mounted
shower arm.
Length 150 mm. To be combined
with Z95267 shower head.

Z95263	cromo - chrome	240
Z95263.C8	nickel	300
Z95263.C40	gold	455
Z95263.C41	brushed gold	455
Z95263.C50	metal black	335
Z95263.C51	brushed metal black	335
Z95263.P30	british gold PVD	395
Z95263.P60	platinum PVD	395
Z95263.P80	total black PVD	395
Z95263.P90	copper PVD	395
Z95263.J3	glossy gesso	310
Z95263.K7	pearl cipria	310
Z95263.N6	nero opaco - matt black	310
Z95263.R6	pearl chili	310
Z95263.V7	pearl salvia	310
Z95263.V8	matt mirto	310
Z95263.X	brushed stainless steel	240
Z95263.XP21	brushed chocolate PVD	395
Z95263.XP31	brushed british gold PVD	395
Z95263.XP41	brushed gold PVD	395
Z95263.XP81	brushed total black PVD	395
Z95263.XP91	brushed copper PVD	395
Z95263.XS	matt stainless steel	265
Z95263.XSP21	matt chocolate PVD	435
Z95263.XSP31	matt british gold PVD	435
Z95263.XSP41	matt gold PVD	435
Z95263.XSP81	matt total black PVD	435
Z95263.XSP91	matt copper PVD	435



INDICE INDEX

ARTICOLI	PAG.	Z94634	19	ZAF250	32		
R96544	28	Z9502P	31	ZVE417	30		
R96710	13	Z95182	26	ZVE425	7		
R96715	11	Z95201	26	ZVE426	8		
R96716	12	Z95240	46	ZVE435	8		
R96720	8, 9, 30	Z95241	46	ZVE436	9		
R96725	12	Z95242	47	ZVE437	9		
R96730	20	Z95243	47	ZVE523	10		
R96731	21	Z95245	43	ZVE5347	14		
R96732	22	Z95246	40	ZVE5348	14		
R96733	23	Z95247	40	ZVE5349	15		
R96734	24	Z95248	41	ZVE546	6		
R96735	25	Z95249	41	ZVE547	6		
R96737	13	Z95250	52	ZVE548	7		
R96738	13	Z95251	43	ZVE549	10		
R97755	30	Z95252	44	ZVE5524	17		
R97760	30	Z95253	44	ZVE5695	18		
R97830	19	Z95254	50	ZVE5729	18		
R97835	19	Z95255	51	ZVE5751	17		
R99500	15, 16	Z95256	48	ZVE5783	15		
R99503	17	Z95257	49	ZVE5784	16		
R99504	15, 16	Z95258	49	ZVE5785	16		
R99508	18	Z95259	50	ZVE5801	20		
R99779	18	Z95260	42	ZVE5802	21		
Z9127P	31	Z95261	42	ZVE5803	22		
Z92266	26	Z95262	48	ZVE5804	23		
Z92267	26	Z95263	51, 56	ZVE5806	24, 25		
Z92268	26	Z95264	29, 54	ZVE748	11		
Z93024	28	Z95265	54	ZVE775	11		
Z93026	28	Z95266	27, 55	ZVE776	12		
Z93027	27	Z95267	56	ZVE778	12		
Z93792	29	Z95268	45	ZVE780	13		
Z93867	27	Z95340	31	ZVE801	20		
Z93916	29	Z95345	31	ZVE802	21		
Z93917	29	ZAD513	31	ZVE803	22		
Z93928	26	ZAD515	31	ZVE804	23		
Z93994	30	ZAD555	33	ZVE806	24, 25		
Z94120.XR	55	ZAD556	33				
Z94130	27	ZAF220	32				
Z94177	27	ZAF221	32				
Z94189	29	ZAF222	32				
Z94265	28	ZAF225	33				
Z94266	28	ZAF226	33				
Z94267	29	ZAF230	32				
Z94300	27	ZAF231	33				
Z94312	28	ZAF232	32				
Z94633	13	ZAF233	33				

[illegible]

ZUCCHETTI.

CONDIZIONI DI VENDITA

Con il conferimento dell'ordine si intendono integralmente accettate tutte le seguenti condizioni di vendita di Zucchetti Rubinetteria S.p.A. (di seguito anche "Zucchetti" "Azienda" o "Venditore").

PREZZI

I prezzi dei listini Zucchetti sono espressi in € (Euro), sono soggetti a variazioni e non sono impegnativi. Essi si intendono per merce resa franco stabilimento di produzione, IVA e imballo esclusi. Ogni ordine, comunque conferito, potrà essere ritenuto valido solo se accettato mediante regolare conferma d'ordine. Tutte le offerte dirette ed indirette si intendono senza impegno. Il listino prezzi Zucchetti è riservato alle aziende e agli operatori economici.

PAGAMENTI

I termini di pagamento specificati in fattura si intendono tassativi: ogni variazione, che non sia stata preventivamente ed espressamente pattuita, verrà respinta. Il ritardato pagamento delle forniture darà luogo all'addebito degli interessi di mora come stabilito dalla vigente normativa. Al verificarsi di pagamenti non eseguiti nei termini convenuti è facoltà del Venditore sospendere le consegne e gli eventuali ordini già accettati. Si precisa che nessun pagamento potrà essere differito in caso di contestazione. Eventuali aggiunte o modifiche effettuate dal Cliente su ordini da lui trasmessi saranno prive di validità se non comunicate in forma scritta e poi accettate, sempre in forma scritta, dal Venditore.

Nel caso in cui il Cliente non paghi quanto dovuto nei tempi prestabiliti o risulti inadempiente ad ulteriori obblighi presenti nelle condizioni di vendita e/o siglati con ulteriori scritti, il Venditore avrà la facoltà di risolvere qualsiasi rapporto di fornitura con effetto immediato, trattenendo a titolo di penale le relative somme già pagate, fatta salva ogni ulteriore richiesta di risarcimento del danno. Il tutto senza alcun onere penale o responsabilità nei confronti del Cliente.

DATI IDENTIFICATIVI DEL CLIENTE

Il Cliente è responsabile di tutti i dati di identificazione forniti al Venditore quali: Ragione Sociale, Sede Legale, Codice Fiscale, Partita IVA e quant'altro specificatamente richiesto in materia dalla legislazione vigente.

TERMINI DI CONSEGNA

I termini di consegna sono approssimativi e non danno diritto al Cliente di annullare l'ordine o reclamare danni di qualsiasi entità per ritardi derivanti da accidenti di fabbricazione, da scioperi, da trasporti, da pandemia o da altre cause di forza maggiore o caso fortuito. Il Venditore si riserva la facoltà di evadere un ordine con più consegne a seconda delle effettive disponibilità di prodotto.

IMBALLAGGIO

Gli imballi sono eseguiti a regola d'arte da personale specializzato.

TRASPORTO

La merce viaggia a rischio e pericolo del Cliente e, anche se la spedizione è effettuata in porto franco, il Venditore declina ogni responsabilità per ritardi, guasti, avarie, rotture, ammacchi che si verificassero durante il trasporto. Spetta al Cliente presentare eventuali reclami al trasportatore facendosi rilasciare una dichiarazione di immediata constatazione, anche se questi è stato scelto dal Venditore.

Il Venditore si riserva la facoltà di addebitare al Cliente gli oneri aggiuntivi al puro costo di trasporto (e.g., soste, operazioni di scarico particolari, ecc.), eventualmente corrisposti al vettore. Le spese di trasporto, salvo patto contrario, sono a carico del Cliente.

RESPONSABILITÀ

Tutti gli articoli del Venditore sono accuratamente provati e controllati. La responsabilità del Venditore sulla qualità dei materiali si limita, previa autorizzazione, ad accettare il reso, in porto franco a Gozzano, imballo gratis, di pezzi riscontrati difettosi per disporre la sostituzione, senza essere tenuto a corrispondere alcun indennizzo. Non è possibile inoltre accettare alcuna responsabilità ove i materiali forniti risultassero manomessi. Si esclude qualsiasi tipo di risarcimento per danni diretti o indiretti causati dalla posa in opera di materiale difettoso. È fatto assoluto divieto ai Clienti di effettuare qualsiasi lavorazione ulteriore sui prodotti del Venditore. Il Venditore non riceverà merce in restituzione se non sarà da essa stessa autorizzata.

DISPOSIZIONI GENERALI

Il Venditore si riserva il diritto, in qualsiasi momento, di modificare le caratteristiche tecniche dei prodotti, nonché modificare o sopprimere modelli. Le illustrazioni e le descrizioni contenute nel presente listino (e nei cataloghi) rappresentano i singoli articoli e non costituiscono impegno di fedele esecuzione. I dettagli, le misure ed i pesi indicati devono ritenersi indicativi e possono essere modificati senza preavviso.

RECLAMI

I reclami devono essere presentati entro 8 (otto) giorni dal ricevimento della merce per il mercato italiano ed entro 2 (due) giorni dal ricevimento della merce per i mercati esteri. Dopo tali termini non potranno più essere accettati.

La contestazione dovrà pervenire al Venditore tramite comunicazione scritta contenente: il dettaglio dei difetti riscontrati, il numero di pezzi difettosi rilevati, le modalità di verifica attuate, i riferimenti della consegna (ddt e dettagli etichette apposte sul cartone) ed ogni elemento utile (fotografie) per consentire al Venditore di rintracciare il prodotto e le relative registrazioni oggetto della contestazione ed eventualmente attuare le prime azioni correttive immediate. Eventuali richieste di reso o rilavorazioni/selezioni presso il Cliente saranno autorizzate solo dopo le opportune valutazioni.

In nessun caso il Cliente può sospendere il pagamento del prodotto oggetto di contestazione. Il Cliente non potrà effettuare alcuna lavorazione, riparazione o intervento sul prodotto se non preventivamente concordato per iscritto con il Venditore.

FORO COMPETENTE

Per qualsiasi controversia è espressamente convenuto che si dovrà adire esclusivamente alle competenti autorità giudiziarie di Borgomanero e Novara. Per quanto non espressamente convenuto valgono le norme di legge vigenti.

ZUCCHETTI.

GENERAL SALE CONDITIONS

Upon the confirmation of the order, all the following conditions of sale of Zucchetti Rubinetteria S.p.A. (hereinafter also as the “Company” or the “Seller”) are understood to be fully accepted.

PRICES

The prices stated in the Zucchetti price-lists are in € (Euro), are subject to change and not binding. The prices have to be considered ex-works factory in Gozzano, packing and VAT excluded. Orders are valid only if accepted by regular order confirmation. All Seller direct and indirect offers are not binding. Zucchetti pricelists are for enterprises and economic operators only.

PAYMENTS

All payments terms specified in the invoice are binding: any variation, which has not previously and expressly agreed in writing, will be rejected. Delayed payments of the supplies will cause the charge of the relevant bank interests to the extent provided for by the regulations in force. In the event of payments not made within the agreed terms, the Seller is entitled and has the right to hold deliveries and any order already confirmed. No payment can be differed in case of disputes. Any additions or changes made by the Customer on purchasing orders will not be valid unless communicated in writing and then accepted in writing by the Seller.

In the event that the Customer fails to pay the due amount, within the agreed terms, or it is found to be in breach of further obligations under the terms of sale and / or signed with additional writings, the Seller is entitled and has the right to resolve the business relationship with immediate effect. The Seller has the right to hold, as a penalty, the sums already paid, without prejudice to any further claims for compensation of the damages. All without any criminal burden or liability towards the Customer.

CUSTOMER IDENTIFICATION DATA

The Customer is responsible for all the identification data provided to the Seller, such as: company name, registered office, fiscal code, VAT number and any other information specifically requested by the existing law.

DELIVERY TERMS

Delivery terms are approximate. Possible delay due to production accidents, strikes, transport, pandemic events or to any others reason of Force Majeure, do not give the right to recede from the purchase contract or to claim for damages. The Seller reserves the right to fulfil an order in multiple deliveries according to availability of products.

PACKAGING

The packaging is made properly by specialized personnel.

TRANSPORT

The delivery is made at Customer's risk and peril even if the term free destination has been agreed. The Seller declines any responsibility for delays, damages, breakages, shortages during transportation. Any claim has to be presented directly by the Customer to the carrier, even if this one has been chosen by the Seller. The Seller reserves the right to charge the Customer with additional charges to the mere transportation costs previously paid to the carrier (e.g., demurrage, special unloading operations, and so on). Transport costs, unless otherwise agreed, are borne by the Customer.

RESPONSIBILITY

All Seller products are carefully tested and checked. Seller's responsibility for the quality of the material is limited to the acceptance of defective goods return, only after previous written agreement. The goods must be returned free to Gozzano, without any charge for packaging. It is left to the Seller's decision whether to replace them (in any case without the bond to pay any allowance).

Seller assumes no responsibilities for wrong handling of the supplied articles. Any claim for compensation of direct or indirect damages caused by the setting of defective material is excluded. Any further working on goods of the Seller is absolutely prohibited. The Seller will accept return of goods only after its previous authorization.

GENERAL PROVISIONS

The Seller reserves the right, at any time, to modify the technical characteristics of the products, as well as to modify or discontinue models. The images and descriptions contained in this price list or in the catalogues represent individual articles and do not constitute an undertaking of faithful execution. The details, measurements and weights indicated must be considered as indicative and may be modified without notice.

CLAIMS

Claims will be accepted only within 8 (eight) days from receipt of goods for the Italian market and within 2 (two) days from receipt of goods for foreign markets: no claims will be accepted after these terms.

The claim must be sent to the Seller by written notice, detailing: the defects found, the number of defective parts detected, the verification methods implemented, the delivery references (e.g., ddt and label details attached to the box) and any other useful elements (e.g., photographs) to allow the Seller to track the product, the related records of the claim and, if the case may be, implement the first immediate corrective actions.

Any request for return or rework / selection at the Customer place will be authorized only after appropriate evaluations.

Under no circumstances the Customer can suspend the payment of the product object of the claim. The Customer cannot perform any work, repair or intervention on the product unless previously agreed in writing by the Seller.

JURISDICTION

In case of dispute, competent courts will be Borgomanero and Novara.

For anything not explicitly stated, the rules of law in force apply.

ZUCCHETTI. GARANZIA

Tutti i prodotti vengono sottoposti ad accurati controlli durante ogni fase del ciclo produttivo per fornire le migliori garanzie sulla qualità del prodotto.

I prodotti sono garantiti in conformità alle leggi vigenti in materia di garanzia nel paese dove l'acquirente ha sede legale, per acquisti comprovati da regolare documento fiscale.

La garanzia copre i seguenti casi:

- 1** Difetti di fusione, porosità e finiture superficiali.
- 2** Difetti di fabbricazioni riconosciuti dall'ufficio tecnico Zucchetti

La garanzia non si applica e decade in caso di:

- 1** Deterioramento delle finiture superficiali dovuto all'uso di prodotti per la pulizia contenuti acidi o sostanze abrasive.
- 2** Deterioramento delle finiture superficiali causato da depositi di calcare.
- 3** Installazione o utilizzo dei prodotti in modo non appropriato o non conforme alle condizioni di impiego specificate sui documenti che si trovano all'interno della confezione prodotto.
- 4** Riparazioni e manutenzioni effettuate da personale non autorizzato dall'azienda o con ricambi non originali.
- 5** Fenomeni atmosferici.
- 6** Sovratensioni sull'impianto di alimentazione elettrica.

La garanzia può essere applicata solo previa fornitura all'azienda di foto e/o campioni dei prodotti difettosi.

La contestazione dovrà pervenire tramite comunicazione scritta contenente: il dettaglio dei difetti riscontrati, il numero di pezzi difettosi rilevati, le modalità di verifica attuate, i riferimenti della consegna (ddt e dettagli etichette apposte sull'imballo) ed ogni elemento utile (fotografie) per consentire di rintracciare il prodotto e le relative registrazioni oggetto della contestazione ed eventualmente attuare le prime azioni correttive immediate.

La garanzia Zucchetti non è rinnovabile.

Per informazioni più dettagliate si rimanda al documento M-UFCO09 consultabile al seguente link:
<https://www.zucchettidesign.it/garanzia>



ZUCCHETTI. WARRANTY

All Zucchetti products are subject to functional tests during each step of the production process to provide the most accurate quality performances.

All items are guaranteed in accordance with the applicable laws concerning warranty in the country where the buyer's registered office is, for purchases attested by official receipt.

The warranty covers the following cases:

- 1** Casting, porosity and surface finishes defects
- 2** Manufacturing defects recognized by our technical department.

The guarantee does not apply and becomes void in the event of:

- 1** Deterioration of surface finishes (chrome plated or different) due to use of cleaning agents containing acids or abrasive substances.
- 2** Deterioration of surface finishes due (chrome plated or different) to limescale deposits.
- 3** Installation or use of the products in an inappropriate manner or that does not comply with the conditions of use specified on the documents found inside the product packaging.
- 4** Repairs and maintenance carried out by not authorized by the company personnel or with non-original spare parts.
- 5** Atmospheric phenomena.
- 6** Overvoltages on the electrical power system.

The warranty can only be applied upon providing the company with photos and/or samples of the defective products.

The claim must be received via written notice containing: the details of the defects found, the number of defective pieces detected, the verification methods implemented, the delivery references (delivery note and details of the labels on the box) and any useful element (photographs) to allow to trace the product and related registrations that are the subject of the dispute and possibly implement the first immediate corrective actions.

Zucchetti warranty cannot be renewed.

For more detailed information please refer to M-UFC009 document available at the following link:
<https://www.zucchettidesign.it/en/warranty>



ZUCCHETTI. CURA E MANUTENZIONE DEL PRODOTTO

Per mantenere a lungo i prodotti in perfette condizioni ed evitare depositi di calcare è importante effettuare una pulizia periodica ed accurata, secondo le modalità indicate.

Le superfici dei prodotti devono essere pulite con detergenti neutri delicati oppure con acqua e sapone.

Zucchetti consiglia di utilizzare in alternativa il prodotto Zetabrill (art. R99993).

Sciacquare sempre con cura le superfici per eliminare definitivamente i residui del prodotto di pulizia ed asciugare bene con un panno morbido, per prevenire il deposito di calcare.

È importante non utilizzare mai detergenti che contengano acido cloridrico, fluoridrico, fosforico, formico, acetico oppure candeggina o ammoniaca.

In caso di utilizzo di prodotti potenzialmente dannosi risciacquare immediatamente con abbondante acqua.

Non spruzzare mai i detergenti direttamente sui prodotti, ma vaporizzarli su un panno morbido.

Non utilizzare pulitori a vapore perché le alte temperature possono danneggiare i prodotti.

Non utilizzare spugne o spazzole con effetto abrasivo che danneggerebbero irrimediabilmente le superfici.

Si consiglia di evitare di lasciare a lungo sulle superfici residui di prodotti cosmetici o per l'igiene quali creme, saponi, lozioni, dentifrici, ecc.

PRODOTTI IN FINITURA VERNICIATA

Sulle superfici verniciate utilizzare solamente acqua eventualmente con l'aggiunta di detergenti neutri (pH 6,5 – 7,5) e caratterizzati da additivi leggeri. Non usare mai solventi o panni abrasivi.

PRODOTTI IN FINITURA PVD

Per le superfici in finitura PVD servirsi sempre di un panno imbevuto di detergente diluito e con pH neutro (6,5 - 7,5). Non spruzzare mai direttamente il detergente sulla superficie in quanto lo spray potrebbe lasciare aloni. Non utilizzare detersivi contenenti acido cloridrico, acido formico o acido acetico, o contenenti acidi o componenti abrasivi.

PRODOTTI IN ACCIAIO INOX

Per la pulizia di tutta la rubinetteria in acciaio inox si raccomanda l'utilizzo di prodotti specifici per la cura dell'acciaio inox. Possono essere utilizzati detergenti commerciali a pH neutro (6,5 – 7,5) e all'occorrenza, solo sulle parti in acciaio, alcool isopropilico o carbonato di sodio diluiti.

Non usare in particolar modo detergenti a base di acido clorico, fluoridrico, fosforico e muriatico.

SOFFIONI DOCCIA

Per il buon funzionamento nel tempo dei soffioni ed evitare l'accumulo di calcare si consiglia una pulizia regolare degli ugelli anticalcare, strofinandoli delicatamente con un panno morbido per favorire il distacco dei depositi.

AERATORI

Per avere sempre un buon getto di acqua si consiglia la pulizia periodica dei filtri degli aeratori, immergendoli (dopo averli smontati) in una soluzione di aceto diluito o utilizzando il prodotto Zetabrill (art. R99993).

Alcune finiture (C8, C3, C50, C51, C40, C41) possono variare o virare la tonalità nel tempo, perché sono soggette a ossidazione e mutano a seconda dell'ambiente in cui il prodotto è installato, all'utilizzo e alle proprietà dell'acqua. Questo implica che ogni prodotto può assumere un aspetto unico con il passare del tempo.

ZUCCHETTI. PRODUCT CARE AND MAINTENANCE

To keep the products in perfect conditions for a long time and avoid limescale deposits, it is important to carry out a periodic and thorough cleaning, according to the indicated methods.

The products' surfaces must be cleaned with mild neutral detergents or with soap and water. Zucchetti alternatively recommends to use the Zetabril product (code R99993). Always carefully rinse the surfaces to completely eliminate residues of the cleaning product and dry completely with a soft cloth to prevent limescale deposits.

It is important never to use cleaners that contain hydrochloric, hydrofluoric, phosphoric, formic, acetic acid, or bleach or ammonia. In case of using potentially harmful products, rinse immediately with abundant water.

Never spray detergents directly on the products but spray into a soft cloth.

Do not use steam cleaners, because high temperatures can damage the products.

Do not use sponges or brushes with an abrasive effect that would irreparably damage the surfaces.

It is recommended to avoid leaving residues of cosmetic or hygiene products such as creams, soaps, lotions, toothpastes, etc. on the surfaces for a long time.

PRODUCTS IN PAINTED FINISH

On painted surfaces, use only water, if necessary with the addition of neutral detergents (pH 6,5 – 7,5) and characterized by light additives. Never use solvents or abrasive cloths.

PRODUCTS IN PVD FINISH

For surfaces in PVD finish, always use a cloth soaked in mild, diluted detergent, with neutral pH (6,5 – 7,5). Never spray the product directly on the surface as the spray could leave halos. Do not use detergents containing hydrochloric acid, formic acid or acetic acid, do not use detergents containing acid or abrasives components.

PRODUCTS IN STAINLESS STEEL

To clean all stainless steel taps, it is recommended to use specific products for the care of stainless steel.

Commercial detergents with neutral pH (6,5-7,5) can be used and, if necessary, only on the steel parts, to use diluted isopropyl alcohol or sodium carbonate.

Do not use in particular detergents based on chloric, hydrofluoric, phosphoric and muriatic acids.

SHOWER HEADS

For a proper shower heads functioning over time and to avoid limescale accumulation, it is recommended regular cleaning of the anti-limescale nozzles, rubbing them gently with a soft cloth to help to detach the deposits.

AERATORS

In order to always have a good water jet it is recommended the periodic cleaning of the filters of the aerators, dipping them (after having removed them from the taps) in a solution of diluted vinegar or using the product Zetabril (code R99993).

Some finishes (C8, C3, C50, C51, C40, C41) may vary or change their tone over time. These finishes are subject to oxidation and change according to the environment in which the product is installed, to the use and to the water properties. This means that each product can take on a unique appearance over time.

Contatti

Zucchetti Rubinetteria S.p.A.
Via Molini di Resiga, 29
28024 Gozzano (NO) - Italy
Tel. +39.0322.954700
Fax +39.0322.954823
www.zucchettidesign.it

Le linee dirette con Zucchetti: Direct lines with Zucchetti

marketing@zucchettidesign.it

per richiedere il punto vendita più vicino, per ogni richiesta di documentazione e di informazioni commerciali
to enquire about the selling point closest to you or to gather business information or documentation

support@zucchettidesign.it

per la risoluzione di ogni problema tecnico e per ricevere un primo servizio di Assistenza Tecnica
to solve any kind of technical problem and get a first technical assistance

contractdivision@zucchettidesign.it

per tutte le richieste legate al mondo Contract
for all the requests concernig the Contract

Il presente catalogo annulla e sostituisce tutti i precedenti. Le immagini ed i dati contenuti nel presente catalogo sono da ritenersi indicativi e possono subire variazioni anche senza alcun preavviso.

This catalogue cancels and replaces all previous editions. Images and data contained in this catalogue are to be considered indicative and may be changed also without any notice.

